

AYES 2

LED

TYPE:

PROJECT NAME:



MODEL #	WATT	LED	OPTICS	FINISH	VOLTAGE
---------	------	-----	--------	--------	---------


DESCRIPTION:

Ornamental recessed spotlight with springs; diffused light. Easy to install in solid walls with housing. LWC0201. Provided wired with a 1.5 m cable.



INSTALLATION NOTE:

Must be wired in series when two or more are wired together with same driver.

SPOT LIGHT





AYES 2 Dimensions



OPTICS D. DIFFUSED BEAM

OPTICS D. DIFFUSED BEAM



OPTICS S.10° M.25° L.40° W.WALL WASHER BEAM

OPTICS S.10° M.25° L.40° W.WALL WASHER BEAM

VOLTAGE 120V 220V 277V

WATTAGE 1W 2W

FINISH

C.CHROMED D.GOLD 24K

S.NICKEL MATT W.WHITE

LED COLORS

0. 5000K WHITE 1. BLUE

2. GREEN 3. RED

5. 3000K WHITE 9. 4000K WHITE

SPECIFICATION SHEET

LEDOLOGY®

A **Luminart** BRAND

WWW.LUMINARTLIGHTING.COM

AYES 2

LED



LEDOLOGY®

A **Luminart** BRAND

WWW.LUMINARTLIGHTING.COM

AYES 2

LED



LEDOLOGY®

A **Luminart** BRAND

WWW.LUMINARTLIGHTING.COM