

MOOD

SUSPENSION

TYPE:

PROJECT NAME:

Finish

Fabric shades:



Pleated



Pleated ribbon

Fabric shade, PMMA diffuser



IP20

SPECIFICATION SHEET



Canopy detail

* on demand

** cable on measure

Luminart®

WWW.LUMINARTLIGHTING.COM
Last updated: 11/05/20

Diffuser Finishes



Pleated



Cod. 500
White



Cod. 513
Ivory



Cod. 501
Beige



Cod. 511
Orange



Cod. 504
Flame red



Cod. 512
Dark red



Cod. 520
Electric blue



Cod. 515
Military



Cod. 514
Hazel



Cod. 505
Brown



Cod. 516
Dark brown



Cod. 517
Red brick



Cod. 509
Light grey



Cod. 519
Dark grey




Cod. 510
Anthracite




Cod. 502
Black



Pleated Ribbon



Cod. 700
Ivory



Cod. 704
Ecrú



Cod. 701
Leather



Cod. 705
Yellow



Cod. 710
Terracotta



Cod. 711
Grey



Cod. 708
Cast Iron

MOOD

SUSPENSION


TYPE:

PROJECT NAME:

Large pendant lamp - ø 100	ø 100 x 13 cm 5 Kg	lamp type 1 led module 29.3W luminous efficacy 3900 Lm light colour 2700 K cri >80	L82MOOESO100P04
Maxi pendant lamp - ø 120	ø 120 x 13 cm 6 Kg	lamp type 1 led module 29.3W luminous efficacy 3900 Lm light colour 2700 K cri >80	L82MOOESO120P04
Mega pendant lamp - ø 150	ø 150 x 13 cm 10 Kg	lamp type 1 led module 29.3W luminous efficacy 3900 Lm light colour 2700 K cri >80	L82MOOESO150P04

ORDERING INFO

Model (Order Code)	Finish	LED	Voltage	Dimming
		<input type="radio"/> 2700K	<input type="radio"/> 120V	<input type="radio"/> LTE (Leading/Trailing Edge Dim)
		<input type="radio"/> 3000K	<input type="radio"/> 277V	<input type="radio"/> 010V (0-10V)
		<input type="radio"/> 4000K		

 Fixture comes with a 4" backplate that mounts to a standard junction box. Please note: 277V is only compatible with 0-10V dimming.

SPECIFICATION SHEET

