

K-HOLE 5

Gabi Peretto

CODE#

TYPE:

PROJECT NAME:

K-Hole System is aimed at satisfying the needs of lighting design planning particularly for retail spaces. The family is composed of two typologies: semi-recessed and ceiling/wall with QR111 LED or halogen sources. The semi-recessed version can be installed in all plasterboard ceiling. In the wall/ceiling version, the power supply is integrated. Products realized in matt white powder coated aluminium, with chromed supporting elements.



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

K-HOLE 5

Gabi Peretto

CODE#

TYPE:

PROJECT NAME:

LED/HALO RECESSED

Lamping

Source	G53, QR111
Total power	5 x 25W LED/ 5 x 50W HALO
Emission	Orientable
Dimming	dimmable TRIAC
Voltage	120V
Dimensions	1200x130x130
Materials	Aluminium







Codes

KH5 LWW 71

Structure



Diffuseur



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

K-HOLE 5

Gabi Peretto

CODE#

TYPE:

PROJECT NAME:

LED/ HALO

Lamping

Source	G53, QR111
Total power	5 x 25W LED/ 5 x 50W HALO
Emission	Orientable
Dimming	dimmable TRIAC
Voltage	120V
Dimensions	1200x130x170
Materials	Aluminium



Codes

KH5 LWW 41



Structure



Diffuseur

Package

LxPxH (base)	27x19x130	(10.63x7.48x51.18")
Weight (base)	7kg	(15.4lbs)



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM