

REGULUS WALL CANTILEVERED

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

Range of fittings with a technical structure and two arms in extruded aluminium. Diffuser in white, transparent metacrylate. Aluminium parts can be painted in silver grey or, on demand, matt white. All versions (with the exception of the floor version) with uplight and downlight output, for an extremely functioning, widespread and adjustable lighting output.



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS WALL CANTILEVERED

Carlo Forcolini and Giancarlo Fassina

CODE#


TYPE:

PROJECT NAME:

121 FLUO dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	24W
Emission	direct
Dimming	dimmable
Voltage	120V
Ip class	20



Codes

RED F2W 34

Structure



Diffuseur

Package

LxPxH (base)	27x15x143	(10.63x5.91x56.30")
Weight (base)	4kg	(8.8lbs)

SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS WALL CANTILEVERED

Carlo Forcolini and Giancarlo Fassina

CODE#


TYPE:

PROJECT NAME:

121 FLUO dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	24W
Emission	indirect
Dimming	dimmable
Voltage	120V
Ip class	20



Codes

RED F2W 33

Structure



Diffuseur

Package

LxPxH (base)	27x15x143	(10.63x5.91x56.30")
Weight (base)	4kg	(8.8lbs)

SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS WALL CANTILEVERED

Carlo Forcolini and Giancarlo Fassina

CODE#


TYPE:

PROJECT NAME:

121 FLUO not dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	24W
Emission	direct
Dimming	not dimmable
Voltage	120V
Ip class	20



Codes

REG F2W 34

Structure



Diffuseur

Package

LxPxH (base)	32x18x185	(10.63x7.09x72.83")
Weight (base)	4kg	(8.8lbs)

SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS WALL CANTILEVERED

Carlo Forcolini and Giancarlo Fassina

CODE#

TYPE:

PROJECT NAME:

121 FLUO not dimmable indirect

Lamping

Source

G5 T16 (FH-HO)

Total power

24W

Emission

indirect

Dimming


not dimmable

Voltage

120V

Ip class

20



Codes

REG F2W 33

Structure



Diffuseur

Package

LxPxH (base)

27x15x143

(10.63x5.91x56.30")

Weight (base)

4kg

(8.8lbs)

SPECIFICATION SHEET

REGULUS WALL CANTILEVERED

Carlo Forcolini and Giancarlo Fassina

CODE#


TYPE:

PROJECT NAME:

151 FLUO dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	39W
Emission	direct
Dimming	dimmable
Voltage	120V
Ip class	20



Codes

RED F3W 34

Structure



Diffuseur

Package

LxPxH (base)	27x15x200	(10.63x5.91x78.74")
Weight (base)	5kg	(11lbs)

SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS WALL CANTILEVERED

Carlo Forcolini and Giancarlo Fassina

CODE#


TYPE:

PROJECT NAME:

151 FLUO dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	39W
Emission	indirect
Dimming	dimmable
Voltage	120V
Ip class	20



Codes

RED F3W 33

Structure



Diffuseur

Package

LxPxH (base)	27x15x200	(10.63x5.91x78.74")
Weight (base)	5kg	(11lbs)

SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS WALL CANTILEVERED

Carlo Forcolini and Giancarlo Fassina

CODE#


TYPE:

PROJECT NAME:

151 FLUO not dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	39W
Emission	direct
Dimming	not dimmable
Voltage	120V
Ip class	20



Codes

REG F3W 34

Structure



Diffuseur

Package

LxPxH (base)	27x15x200	(10.63x5.91x78.74")
Weight (base)	5kg	(11lbs)

SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS WALL CANTILEVERED

Carlo Forcolini and Giancarlo Fassina

CODE#


TYPE:

PROJECT NAME:

151 FLUO not dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	39W
Emission	indirect
Dimming	not dimmable
Voltage	120V
Ip class	20



Codes

REG F3W 33

Structure



Diffuseur

Package

LxPxH (base)	27x15x200	(10.63x5.91x78.74")
Weight (base)	5kg	(11lbs)

SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS WALL CANTILEVERED

Carlo Forcolini and Giancarlo Fassina

CODE#


TYPE:

PROJECT NAME:

151 LED dimmable direct

Lamping

Source	linear LED
Total power	30W
Emission	direct
Switching	dimmable, dali, push
Voltage	120V
Color temperature	3000K
Luminous flux	3900lm
Typ cri	83
Energy class	A+
Ip class	20



Codes

RED L3W 34

Structure



Diffuseur

Package

LxPxH (base)	27x15x200	(10.63x5.91x78.74")
Weight (base)	5kg	(11lbs)

SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS WALL CANTILEVERED

Carlo Forcolini and Giancarlo Fassina

CODE#


TYPE:

PROJECT NAME:

151 LED dimmable indirect

Lamping

Source	linear LED
Total power	30W
Emission	indirect
Dimming	dimmable, dali, push
Voltage	120V
Color temperature	3000K
Luminous flux	3900lm
Typ cri	83
Energy class	A+
Ip class	20



Codes

RED L3W 33

Structure



Diffuseur

SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS WALL CANTILEVERED

Carlo Forcolini and Giancarlo Fassina

CODE#


TYPE:

PROJECT NAME:

181 FLUO dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	54W
Emission	direct
Dimming	dimmable
Voltage	120V
Ip class	20



Codes

RED F5W 34

Structure



Diffuseur



Intertek

Package

LxPxH (base)	27x15x313	(10.63x5.91x123.23")
Weight (base)	6kg	(13.2lbs)

SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS WALL CANTILEVERED

Carlo Forcolini and Giancarlo Fassina

CODE#


TYPE:

PROJECT NAME:

181 FLUO dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	54W
Emission	indirect
Dimming	dimmable
Voltage	120V
Ip class	20



Codes

RED F5W 33

Structure



Diffuseur



Intertek

Package

LxPxH (base)	27x15x200	(10.63x5.91x78.74")
Weight (base)	6kg	(13.2lbs)

SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS WALL CANTILEVERED

Carlo Forcolini and Giancarlo Fassina

CODE#


TYPE:

PROJECT NAME:

181 FLUO not dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	54W
Emission	direct
Dimming	not dimmable
Voltage	120V
Ip class	20



Codes

REG F5W 34

Structure



Diffuseur



Intertek

Package

LxPxH (base)	27x15x200	(10.63x5.91x78.74")
Weight (base)	6kg	(13.2lbs)

SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

REGULUS WALL CANTILEVERED

Carlo Forcolini and Giancarlo Fassina

CODE#


TYPE:

PROJECT NAME:

181 FLUO not dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	54W
Emission	indirect
Dimming	not dimmable
Voltage	120V
Ip class	20



Codes

REG F5W 33

Structure



Diffuseur

Package

LxPxH (base)	31x19x200	(12.20x7.48x78.74")
Weight (base)	6kg	(13.2lbs)

SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM