


CARRE™

CEILING

TYPE:

PROJECT NAME:




SPECIFICATION SHEET

CARRE™ 200

CEILING

TYPE:

PROJECT NAME:



Finish options:

Black, White, Dust, Terracotta, Ocean Grey, Gold



Input [W]		25W
Lum. flux of light source [lm]	90°	1540 lm


Carre is a series of lighting fixtures available in three models that differ in size and power. They are characterized by easy installation and the absence of visible mounting elements, contributing to an aesthetic appearance. The evenly illuminated shade provides pleasant and efficient lighting. Carre Area is a practical solution that works well in various interiors, adding a modern and elegant character.

Color rendering: CRI 80

Materials: Aluminum, polycarbonate

Ingress protection: IP20

Electrical: High efficiency electronic power supply, rated 50,000 hours 120V-277V



SPECIFICATION SHEET

ORDERING INFO

L543.1250

Model (Order Code)	Structure Finishes	Optic Options	LED	Dimming Options
<input type="radio"/> L543.1250 25W	<input type="radio"/> 12: Black <input type="radio"/> 13: White <input type="radio"/> 21: Terracotta <input type="radio"/> 22: Ocean Grey <input type="radio"/> 23: Dust <input type="radio"/> 80: Gold	<input type="radio"/> 90: 90°	<input type="radio"/> 30: 3000K <input type="radio"/> 40: 4000K	<input type="radio"/> 120V LTE <input type="radio"/> 120V-277V 0-10V



Luminart®


WWW.LUMINARTLIGHTING.COM
Last updated: 12/17/24

CARRE™ 400

CEILING

TYPE:

PROJECT NAME:



Finish options:

Black, White, Dust, Terracotta, Ocean Grey, Gold



Input [W]	39W	
Lum. flux of light source [lm]	101°	2865 lm


Carre is a series of lighting fixtures available in three models that differ in size and power. They are characterized by easy installation and the absence of visible mounting elements, contributing to an aesthetic appearance. The evenly illuminated shade provides pleasant and efficient lighting. Carre Area is a practical solution that works well in various interiors, adding a modern and elegant character.

Color rendering: CRI 80

Materials: Aluminum, polycarbonate

Ingress protection: IP20

Electrical: High efficiency electronic power supply, rated 50,000 hours 120V-277V



SPECIFICATION SHEET

ORDERING INFO

L543.1252				
Model (Order Code)	Structure Finishes	Optic Options	LED	Dimming Options
<input type="radio"/> L543.1252 39W	<input type="radio"/> 12: Black <input type="radio"/> 13: White <input type="radio"/> 21: Terracotta <input type="radio"/> 22: Ocean Grey <input type="radio"/> 23: Dust <input type="radio"/> 80: Gold	<input type="radio"/> 101: 101°	<input type="radio"/> 30: 3000K <input type="radio"/> 40: 4000K	<input type="radio"/> 120V LTE <input type="radio"/> 120V-277V 0-10V



CARRE™ 500

CEILING

TYPE:

PROJECT NAME:



Finish options:

Black, White, Dust, Terracotta, Ocean Grey, Gold



Input [W]	60W	
Lum. flux of light source [lm]	103°	4955 lm


Carre is a series of lighting fixtures available in three models that differ in size and power. They are characterized by easy installation and the absence of visible mounting elements, contributing to an aesthetic appearance. The evenly illuminated shade provides pleasant and efficient lighting. Carre Area is a practical solution that works well in various interiors, adding a modern and elegant character.

Color rendering: CRI 80

Materials: Aluminum, polycarbonate

Ingress protection: IP20

Electrical: High efficiency electronic power supply, rated 50,000 hours 120V-277V



SPECIFICATION SHEET

ORDERING INFO

L543.1254				
Model (Order Code)	Structure Finishes	Optic Options	LED	Dimming Options
<input type="radio"/> L543.1254 60W	<input type="radio"/> 12: Black <input type="radio"/> 13: White <input type="radio"/> 21: Terracotta <input type="radio"/> 22: Ocean Grey <input type="radio"/> 23: Dust <input type="radio"/> 80: Gold	<input type="radio"/> 103: 103°	<input type="radio"/> 30: 3000K <input type="radio"/> 40: 4000K	<input type="radio"/> 120V LTE <input type="radio"/> 120V-277V 0-10V



CARRE™

CEILING

TYPE:

PROJECT NAME:



SPECIFICATION SHEET