


CHIC™

RECESSED LED

TYPE:

PROJECT NAME:





CHIC

RECESSED

White, black and gold dandify Chic, a recessed aluminium light available in two different shapes, Tondo and Quadro. Complete with a clear diffuser, it is equipped with a high efficiency LED light source and a remote driver. Its degree of protection against the penetration of dust, solid objects and liquids is IP44.

SPECIFICATION SHEET

	(see table)
TC	3000K / 4000K
IP	44
CRI	93
EEL	A+
RG	1
02	Matte black
02 / 13	Matte black/Gold
08	Satin white
08 / 02	Satin white/Matte black
D	Driver included
	Intertek

CHIC™


RECESSED LED

TYPE:


PROJECT NAME:



CHICTONDO

CODE	W	Lm (3000K)	
L25A5-605.07...	7	560	50°
L25A5-605.10...	10	740	50°

/DIMM2 DALI dimmer
/DIMM3 DIM-switch dimmer




SPECIFICATION SHEET

CHIC™


RECESSED LED

TYPE:


PROJECT NAME:



CHICQUADRO

CODE	W	Lm (3000K)	
L25A5-606.07...	7	560	40°
L25A5-606.10...	10	740	40°

/DIMM2 DALI dimmer
/DIMM3 DIM-switch dimmer



SPECIFICATION SHEET