

CILINDRO™

SUSPENSION

TYPE:

PROJECT NAME:

Finish

Fabric diffusers:



Cotton



Pleated



Pleated ribbon



Velvet



Washable



Lycra

Fabric lampshade



IP20

SPECIFICATION SHEET



Detail of upper plexiglass protection



Canopy detail

* on demand

** cable on measure

Luminart®

WWW.LUMINARTLIGHTING.COM

Last updated: 02/10/25

CILINDRO™


SUSPENSION

TYPE:

PROJECT NAME:



Cotton



Cod. 300
Ivory



Cod. 301
White



Cod. 302
Sand



Cod. 303
Golden yellow



Cod. 315
Orange



Cod. 305
Lobster pink



Cod. 306
Red



Cod. 320
Mallow



Cod. 327
Lavender



Cod. 321
Periwinkle



Cod. 326
Navy blue



Cod. 319
Teal



Cod. 318
Moss



Cod. 316
Green



Cod. 323
Sage



Cod. 317
Dove



Cod. 324
Ecrú



Cod. 314
Brown



Cod. 312
Grey




Cod. 310
Anthracite



Cod. 313
Black



Washable



Cod. 616
Natural



Cod. 618
Marble



Cod. 621
Amber



Cod. 617
Moleskin



Cod. 613
Flanelle




Cod. 620
Autumn




Cod. 619
Sage



Velvet



Cod. 455
Cream



Cod. 456
Dove



Cod. 457
Mustard



Cod. 460
Rust



Cod. 461
Purple red



Cod. 462
Ocean blue



Cod. 458
Cornflower



Cod. 459
Sherwood



Cod. 463
Light grey



Cod. 464
Anthracite

SPECIFICATION SHEET

CILINDRO™

SUSPENSION

TYPE:

PROJECT NAME:



Pleated



Cod. 500
White



Cod. 513
Ivory



Cod. 501
Beige



Cod. 514
Hazel



Cod. 505
Brown



Cod. 516
Dark brown



Cod. 517
Red brick



Cod. 511
Orange



Cod. 504
Flame red



Cod. 512
Dark red



Cod. 520
Electric blue



Cod. 515
Military



Cod. 509
Light grey



Cod. 519
Dark grey



Cod. 510
Anthracite



Cod. 502
Black



Pleated Ribbon



Cod. 700
Ivory



Cod. 704
Ecu



Cod. 701
Leather



Cod. 705
Yellow




Cod. 703
Slate grey



Cod. 708
Cast Iron




Cod. 709
Dark green



Lycra



Cod. 250
White




Cod. 263
Sand



Cod. 264
Yellow



Cod. 252
Grey



Cod. 262
Gunmetal grey

CILINDRO™

SUSPENSION

TYPE:

PROJECT NAME:

Pendant lamp - ø 60	ø 60 x 20 cm 2,2 Kg	lamp type 1xE26 LED 70W	L82CILESP060C01
	ø 60 x 20 cm 2,2 Kg	lamp type 3xE26 LED 70W	L82CILESP060C02
Pendant lamp - ø 60	ø 60 x 20 cm 2,2 Kg	lamp type 1 led module 23W luminous efficacy 3628 Lm light colour 2700 K cri >80	L82CILESP060C06
Pendant lamp - ø 70	ø 70 x 32 cm 3,5 Kg	lamp type 1xE26 LED 70W	L82CILESP070C01
	ø 70 x 32 cm 3,5 Kg	lamp type 3xE26 LED 70W	L82CILESP070C02
Pendant lamp - ø 70	ø 70 x 32 cm 3,5 Kg	lamp type 1 led module 23W luminous efficacy 3628 Lm light colour 2700 K cri >80	L82CILESP070C06

ORDERING INFO


Model (Order Code)	Finish	LED	Voltage	Dimming
		<input type="radio"/> 2700K	<input type="radio"/> 120V	<input type="radio"/> LTE (Leading/Trailing Edge Dim)
		<input type="radio"/> 3000K	<input type="radio"/> 277V	<input type="radio"/> 0-10V (0-10V)
		<input type="radio"/> 4000K		



Fixture comes with a 4" backplate that mounts to a standard junction box.


Please note: 277V is only compatible with 0-10V dimming. Screw-in bulbs are only compatible with 120V with LTE dimming.

CILINDRO 60



60 cm
23.62"

CILINDRO 70



70 cm
27.56"

CILINDRO™

SUSPENSION

TYPE:

PROJECT NAME:

Pendant lamp - ø 100	ø 100 x 30 cm 7 Kg	lamp type 4xE26 LED 105W	L82CILESP100C01
Pendant lamp - ø 100	ø 100 x 30 cm 7 Kg	lamp type 1 led module 23W luminous efficacy 3628 Lm light colour 2700 K cri >80	L82CILESP100C08
Pendant lamp - ø 100	ø 100 x 30 cm 7 Kg	lamp type 1 led module 57W luminous efficacy 8750 Lm light colour 2700 K cri >80	L82CILESP100C11
Pendant lamp - ø 120	ø 120 x 30 cm 14 Kg	lamp type 4xE26 LED 105W	L82CILESP120C01
Pendant lamp - ø 120	ø 120 x 30 cm 14 Kg	lamp type 1 led module 23W luminous efficacy 3628 Lm light colour 2700 K cri >80	L82CILESP120C08

ORDERING INFO

Model (Order Code)

Finish

LED

Voltage

Dimming

- 2700K
- 3000K
- 4000K

- 120V
- 277V


- LTE (Leading/Trailing Edge Dim)
- 010V (0-10V)



Fixture comes with a 4" backplate that mounts to a standard junction box.

Please note: 277V is only compatible with 0-10V dimming. Screw-in bulbs are only compatible with 120V with LTE dimming.

CILINDRO 100



200 cm
78.74"
30 cm
11.81"

100 cm
39.37"

CILINDRO 120



200 cm
78.74"
30 cm
11.81"

120 cm
47.24"

SPECIFICATION SHEET

CILINDRO™

SUSPENSION

TYPE:

PROJECT NAME:

Pendant lamp - ø 150	ø 150 x 30 cm 25 Kg	lamp type 6xE26 LED 105W	L82CILESP150C01
Pendant lamp - ø 150	ø 150 x 30 cm 25 Kg	lamp type 1 led module 88.2W luminous efficacy 12380 Lm light colour 2700 K cri >80	L82CILESP150C08
Cilindro Lost 25	Ø 25 x 130 cm weight 5 Kg	lamp type 1 x E26 / 6 x E26 max watt 1 x 105 W HES / 6 x 28 W HES	

ORDERING INFO


Model (Order Code)	Finish	LED	Voltage	Dimming
		<input type="radio"/> 2700K	<input type="radio"/> 120V	<input type="radio"/> LTE (Leading/Trailing Edge Dim)
		<input type="radio"/> 3000K	<input type="radio"/> 277V	<input type="radio"/> 0-10V (0-10V)
		<input type="radio"/> 4000K		




Fixture comes with a 4" backplate that mounts to a standard junction box.

Please note: 277V is only compatible with 0-10V dimming. Screw-in bulbs are only compatible with 120V with LTE dimming.

CILINDRO 150



CILINDRO LOST 25



SPECIFICATION SHEET