

COCO™

SUSPENSION

TYPE:

PROJECT NAME:

Finish

Fabric diffusers:



Pleated fabric

Fabric lampshade



IP20

SPECIFICATION SHEET



LIGHTING DATA



Canopy detail

* on demand

** cable on measure

Luminart®

WWW.LUMINARTLIGHTING.COM

COCO™

SUSPENSION

TYPE:

PROJECT NAME:



Pleated



Cod. 500
White



Cod. 513
Ivory



Cod. 501
Beige



Cod. 511
Orange



Cod. 504
Flame red



Cod. 512
Dark red



Cod. 520
Electric blue



Cod. 515
Military



Cod. 514
Hazel



Cod. 505
Brown



Cod. 516
Dark brown



Cod. 517
Red brick



Cod. 509
Light grey



Cod. 519
Dark grey



Cod. 510
Anthracite



Cod. 502
Black

SPECIFICATION SHEET

TYPE:

PROJECT NAME:

Medium pendant lamp D.60	ø 60 x 32 cm 4 Kg	lamp type 2xE26 LED 42W	L82COCESP060P01
Medium pendant lamp D.60	ø 60 x 32 cm 4 Kg	lamp type 1 led module 18.7W luminous efficacy 3000 Lm light colour 2700 K cri >80	L82COCESP060P05
Maxi pendant lamp D.80	ø 80 x 43 cm 7 Kg	lamp type 3xE26 LED 70W	L82COCESP080P01
Maxi pendant lamp D.80	ø 80 x 43 cm 7 Kg	lamp type 1 led module 23W luminous efficacy 3628 Lm light colour 2700 K cri >80	L82COCESP080P05

ORDERING INFO


Model (Order Code)	Finish	LED	Voltage	Dimming
		<input type="radio"/> 2700K	<input type="radio"/> 120V	<input type="radio"/> LTE (Leading/Trailing Edge Dim)
		<input type="radio"/> 3000K	<input type="radio"/> 277V	<input type="radio"/> 010V (0-10V)
		<input type="radio"/> 4000K		



Fixture comes with a 4" backplate that mounts to a standard junction box.

Please note: 277V is only compatible with 0-10V dimming. Screw-in bulbs are only compatible with 120V with LTE dimming.


COCO 60



30 cm
11.81"

60 cm
23.62"

COCO 80



40 cm
15.74"

80 cm
31.49"

COCO™

SUSPENSION

TYPE:

PROJECT NAME:

Mega pendant lamp D.100	ø 100 x 54 cm 10 Kg	lamp type 4xE26 max watt 70 W HES	L82COCESP100P01
Mega pendant lamp D.100	ø 100 x 54 cm 10 Kg	lamp type 1 led module 23W luminous efficacy 3628 Lm light colour 2700 K cri >80	L82COCESP100P05
Mega pendant lamp D.100	ø 100 x 54 cm 10 Kg	lamp type 1 led module 57W luminous efficacy 8750 Lm light colour 2700 K cri >80	L82COCESP100P10
Coco 150	Ø 150 x 75 cm weight 30 kg	lamp type 1 LED module 88 W luminous efficacy 12380 Lm light color 2700 K	L82COCESP150P


ORDERING INFO

Model (Order Code)	Finish	LED	Voltage	Dimming
		<input type="radio"/> 2700K	<input type="radio"/> 120V	<input type="radio"/> LTE (Leading/Trailing Edge Dim)
		<input type="radio"/> 3000K	<input type="radio"/> 277V	<input type="radio"/> 0-10V (0-10V)
		<input type="radio"/> 4000K		




Fixture comes with a 4" backplate that mounts to a standard junction box. Please note: 277V is only compatible with 0-10V dimming. Screw-in bulbs are only compatible with 120V with LTE dimming.

COCO 100



COCO 150



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM