

DISCOVOLANTE™

SUSPENSION

TYPE:

PROJECT NAME:

Finish

Fabric diffusers:



Cotton



Pleated



Pleated ribbon



Velvet



Washable



Kvadrat



Wool

Fabric lampshade



IP20

SPECIFICATION SHEET




LIGHTING DATA



Detail of upper plexiglass protection



Removable and washable at 30° lycra, class M1



Canopy detail

* on demand

** cable on measure

Luminart®

WWW.LUMINARTLIGHTING.COM

Last updated: 02/11/25

DISCOVOLANTE™

SUSPENSION

TYPE:

PROJECT NAME:

| | | | |
|----------------------------|----------------------|---|-----------------|
| Small pendant lamp - ø 40 | ø 40 x 10 cm 2 Kg | lamp type 2xE26 LED 42W | L82DISESP040C02 |
| Small pendant lamp - ø 40 | ø 40 x 10 cm 2 Kg | lamp type 1 led module 18.7W luminous efficacy 3000 Lm light colour 2700 K cri >80 | L82DISESP040C06 |
| Medium pendant lamp - ø 60 | ø 60 x 12 cm 4 Kg | lamp type 3xE26 LED 42W | L82DISESP060C02 |
| Medium pendant lamp - ø 60 | ø 60 x 12 cm 4 Kg | lamp type 1 led module 23W luminous efficacy 3628 Lm light colour 2700 K cri >80 | L82DISESP060C06 |
| Medium pendant lamp - ø 60 | ø 60 x 12 cm 4 Kg | lamp type 1 led module 57W luminous efficacy 8750 Lm light colour 2700 K cri >80 | L82DISESP060C11 |

ORDERING INFO


| Model (Order Code) | Finish | LED | Voltage | Dimming |
|--------------------|--------|-----------------------------|----------------------------|---|
| | | <input type="radio"/> 2700K | <input type="radio"/> 120V | <input type="radio"/> LTE (Leading/Trailing Edge Dim) |
| | | <input type="radio"/> 3000K | <input type="radio"/> 277V | <input type="radio"/> 010V (0-10V) |
| | | <input type="radio"/> 4000K | | |




Fixture comes with a 4" backplate that mounts to a standard junction box.

Please note: 277V is only compatible with 0-10V dimming. Screw-in bulbs are only compatible with 120V with LTE dimming.

DISCOVOLANTE 40



DISCOVOLANTE 60



SPECIFICATION SHEET

DISCOVOLANTE™

SUSPENSION

TYPE:

PROJECT NAME:


| | | | |
|---------------------------|------------------------|--|-----------------|
| Large pendant lamp - ø 80 | ø 80 x 12 cm 4,5 Kg | lamp type 4xE26 LED 42W | L82DISESP080C02 |
| Large pendant lamp - ø 80 | ø 80 x 12 cm 4,5 Kg | lamp type 1 led module 57W luminous efficacy 8750 Lm light colour 2700 K cri >80 | L82DISESP080C16 |
| Large pendant lamp - ø 80 | ø 80 x 12 cm 4,5 Kg | lamp type 1 led module 88.2W luminous efficacy 12380 Lm light colour 2700 K cri >80 | L82DISESP080C13 |

ORDERING INFO

| Model (Order Code) | Finish | LED | Voltage | Dimming |
|--------------------|--------|-----------------------------|----------------------------|---|
| | | <input type="radio"/> 2700K | <input type="radio"/> 120V | <input type="radio"/> LTE (Leading/Trailing Edge Dim) |
| | | <input type="radio"/> 3000K | <input type="radio"/> 277V | <input type="radio"/> 010V (0-10V) |
| | | <input type="radio"/> 4000K | | |



Fixture comes with a 4" backplate that mounts to a standard junction box.
Please note: 277V is only compatible with 0-10V dimming. Screw-in bulbs are only compatible with 120V with LTE dimming.



SPECIFICATION SHEET

DISCOVOLANTE™

SUSPENSION

TYPE:

PROJECT NAME:

| | | | |
|---------------------------|-----------------------|--|-----------------|
| Maxi pendant lamp - ø 100 | ø 100 x 12 cm 7 Kg | lamp type 4xE26 LED 42W | L82DISESP100C02 |
| Maxi pendant lamp - ø 100 | ø 100 x 12 cm 7 Kg | lamp type 1 led module 57W luminous efficacy 8750 Lm light colour 2700 K cri >80 | L82DISESP100C17 |
| Maxi pendant lamp - ø 100 | ø 100 x 12 cm 7 Kg | lamp type 1 led module 88.2W luminous efficacy 12380 Lm light colour 2700 K cri >80 | L82DISESP100C13 |


ORDERING INFO

| Model (Order Code) | Finish | LED | Voltage | Dimming |
|--------------------|--------|-----------------------------|----------------------------|---|
| | | <input type="radio"/> 2700K | <input type="radio"/> 120V | <input type="radio"/> LTE (Leading/Trailing Edge Dim) |
| | | <input type="radio"/> 3000K | <input type="radio"/> 277V | <input type="radio"/> 010V (0-10V) |
| | | <input type="radio"/> 4000K | | |



Fixture comes with a 4" backplate that mounts to a standard junction box.

Please note: 277V is only compatible with 0-10V dimming. Screw-in bulbs are only compatible with 120V with LTE dimming.



SPECIFICATION SHEET

DISCOVOLANTE™


SUSPENSION

TYPE:

PROJECT NAME:



Cotton



Cod. 300
Ivory



Cod. 301
White



Cod. 302
Sand



Cod. 303
Golden yellow



Cod. 315
Orange



Cod. 305
Lobster pink



Cod. 306
Red



Cod. 320
Mallow



Cod. 327
Lavender



Cod. 321
Periwinkle



Cod. 326
Navy blue



Cod. 319
Teal



Cod. 318
Moss



Cod. 316
Green



Cod. 323
Sage



Cod. 317
Dove



Cod. 324
Ecru



Cod. 314
Brown



Cod. 312
Grey



Cod. 310
Anthracite



Cod. 313
Black



Kvadrat



Cod. 853
Ecru



Cod. 851
Yellow



Cod. 852
Pink




Cod. 859
Hazelnut



Cod. 857
sienna



Cod. 854
Curcuma



Cod. 855
Indigo



Cod. 858
Green



Cod. 850
Grey



Cod. 856
Dark grey



Wool



Cod. 650
Sand



Cod. 659
Chestnut



Cod. 661
Curry



Cod. 653
Mustard yellow



Cod. 651
Orange



Cod. 657
Cardinal red



Cod. 654
Purple



Cod. 655
Avio blue



Cod. 662
Turquoise



Cod. 652
Green



Cod. 660
Dark green



Cod. 658
Grey



Cod. 656
Dark grey

SPECIFICATION SHEET

DISCOVOLANTE™

SUSPENSION

TYPE:

PROJECT NAME:



Pleated



Cod. 500
White



Cod. 513
Ivory



Cod. 501
Beige



Cod. 514
Hazel



Cod. 505
Brown



Cod. 516
Dark brown



Cod. 517
Red brick



Cod. 511
Orange



Cod. 504
Flame red



Cod. 512
Dark red



Cod. 520
Electric blue



Cod. 515
Military



Cod. 509
Light grey



Cod. 519
Dark grey




Cod. 510
Anthracite



Cod. 502
Black



Pleated Ribbon



Cod. 700
Ivory



Cod. 704
Ecrú



Cod. 701
Leather



Cod. 705
Yellow



Cod. 703
Slate grey




Cod. 708
Cast Iron



Cod. 709
Dark green



Washable



Cod. 616
Natural



Cod. 618
Marble



Cod. 621
Amber



Cod. 617
Moleskin



Cod. 613
Flanelle



Cod. 620
Autumn



Cod. 619
Sage



Velvet



Cod. 455
Cream



Cod. 456
Dove



Cod. 457
Mustard



Cod. 460
Rust



Cod. 461
Purple red



Cod. 462
Ocean blue



Cod. 458
Cornflower



Cod. 459
Sherwood



Cod. 463
Light grey



Cod. 464
Anthracite

SPECIFICATION SHEET