

# DOMINO™

CEILING

TYPE:

PROJECT NAME:




SPECIFICATION SHEET

# DOMINO™ 16

CEILING

TYPE:

PROJECT NAME:



The inspiration to design the Domino luminaire came from the starry sky - and here is the result. Have fun arranging, choose shapes and sizes. Create your own constellation in the interior!

**Power input, flux:** 10W, 810lm

**Color rendering / SDCM:** CRI 90 / sdcM3

**Installation:** Surface mounted, ceiling

**Materials:** Aluminum

**Ingress protection:** IP20

**Electrical:** High efficiency electronic power supply, rated 50,000 hours 120V-277V

**Finish options:** Black, White, Terracotta, Ocean Grey, Warm Dust

**Light source:** LED

**Color Temperature:**  
CRI 90 2700K  
CRI 90 3000K  
CRI 90 4000K

**Finish options:**

Black, White, Dust, Terracotta, Ocean Grey, Gold



**ORDERING INFO**

Model (Order Code)	Finish Options	Optic Options	LED	Dimming Options
<input type="radio"/> DOMINO16 L543.2022	<input type="radio"/> 12: Black <input type="radio"/> 13: White <input type="radio"/> 21: Terracotta <input type="radio"/> 22: Ocean Grey <input type="radio"/> 23: Dust <input type="radio"/> 80: Gold	<input type="radio"/> 50: 50°	<input type="radio"/> 27: 2700K <input type="radio"/> 30: 3000K <input type="radio"/> 40: 4000K	<input type="radio"/> 120V LTE <input type="radio"/> 120V-277V 0-10V (Universal Voltage)



SPECIFICATION SHEET

# DOMINO™ 32


CEILING

TYPE:

PROJECT NAME:



The inspiration to design the Domino luminaire came from the starry sky - and here is the result. Have fun arranging, choose shapes and sizes. Create your own constellation in the interior!



**Power input, flux:** 37W, 3138lm

**Color rendering / SDCM:** CRI 90 / sdcM3

**Installation:** Surface mounted, ceiling

**Materials:** Aluminum

**Ingress protection:** IP20

**Electrical:** High efficiency electronic power supply, rated 50,000 hours 120V-277V

**Finish options:** Black, White, Terracotta, Ocean Grey, Warm Dust

**Light source:** LED

**Color Temperature:**  
 CRI 90 2700K  
 CRI 90 3000K  
 CRI 90 4000K

**Finish options:**

Black, White, Dust, Terracotta, Ocean Grey, Gold



**ORDERING INFO**

Model (Order Code)	Finish Options	Optic Options	LED	Dimming Options
<input type="radio"/> DOMINO32 L543.2024	<input type="radio"/> 12: Black <input type="radio"/> 13: White <input type="radio"/> 21: Terracotta <input type="radio"/> 22: Ocean Grey <input type="radio"/> 23: Dust <input type="radio"/> 80: Gold	<input type="radio"/> 50: 50°	<input type="radio"/> 27: 2700K <input type="radio"/> 30: 3000K <input type="radio"/> 40: 4000K	<input type="radio"/> 120V LTE <input type="radio"/> 120V-277V 0-10V (Universal Voltage)




SPECIFICATION SHEET

# DOMINO™ 64

CEILING

TYPE:

PROJECT NAME:



The inspiration to design the Domino luminaire came from the starry sky - and here is the result. Have fun arranging, choose shapes and sizes. Create your own constellation in the interior!

**Power input, flux:** 39W, 2880lm

**Color rendering / SDCM:** CRI 90 / sdcM3

**Installation:** Surface mounted, ceiling

**Materials:** Aluminum

**Ingress protection:** IP20

**Electrical:** High efficiency electronic power supply, rated 50,000 hours 120V-277V

**Finish options:** Black, White, Terracotta, Ocean Grey, Warm Dust

**Light source:** LED

**Color Temperature:**  
CRI 90 2700K  
CRI 90 3000K  
CRI 90 4000K

**Finish options:**

Black, White, Dust, Terracotta, Ocean Grey, Gold



**ORDERING INFO**

Model (Order Code)	Finish Options	Optic Options	LED	Dimming Options
<input type="radio"/> DOMINO64 L543.2026	<input type="radio"/> 12: Black <input type="radio"/> 13: White <input type="radio"/> 21: Terracotta <input type="radio"/> 22: Ocean Grey <input type="radio"/> 23: Dust <input type="radio"/> 80: Gold	<input type="radio"/> 50: 50°	<input type="radio"/> 27: 2700K <input type="radio"/> 30: 3000K <input type="radio"/> 40: 4000K	<input type="radio"/> 120V LTE <input type="radio"/> 120V-277V 0-10V (Universal Voltage)



SPECIFICATION SHEET