


# DUNA™ 600

SUSPENSION


TYPE:

PROJECT NAME:



## Technical information

Index Protection	IP20
Driver	Included
CRI	90
Temperature	2700K / 3000K / 4000K
Lifetime	50.000h
Technology	LED
Guarantee	5 years
Voltage	120V
Flicker	Flicker free
Step McAdam	3-SDCM



Duna Suspension 600  
L6531602-

## Model

	Colour	CRI/Temp.	Led
L6531602	● C Coral Red (RAL 3016)	H 927	L 1541 lm / 13W
	● M Grey Blue (RAL 5008)	E 930	H 2827 lm / 23.8W
	● J Cement Grey (RAL 7033)	F 940	
	● E Silk Grey (RAL 7044)		

SPECIFICATION SHEET

## ORDERING INFO

Model (Order Code)	Finish	LED Power	LED	Driver Options*	Dimming Options
	<input type="radio"/> Coral Red	<input type="radio"/> 13W	<input type="radio"/> 2700K	<input type="radio"/> Surface mount	<input type="radio"/> 120V LTE
	<input type="radio"/> Grey Blue	<input type="radio"/> 23.8W	<input type="radio"/> 3000K	<input type="radio"/> Remote	<input type="radio"/> 120-277V 0-10V
	<input type="radio"/> Cement Grey		<input type="radio"/> 4000K		
	<input type="radio"/> Silk Grey				

\*Installation Note: See details about the surface mount driver and remote driver on the installation instruction sheet.




# DUNA™ 1160

SUSPENSION


TYPE:

PROJECT NAME:



## Technical information

Index Protection	IP20
Driver	Included
CRI	90
Temperature	2700K / 3000K / 4000K
Lifetime	50.000h
Technology	LED
Guarantee	5 years
Voltage	120V
Flicker	Flicker free
Step McAdam	3-SDCM



Duna Suspension 1160  
L6531604-

## Model

	Colour	CRI/Temp.	Led
L6531604	● C Coral Red (RAL 3016)	H 927	L 3082 lm / 26W
	● M Grey Blue (RAL 5008)	E 930	H 5654 lm / 47.6W
	● J Cement Grey (RAL 7033)	F 940	
	● E Silk Grey (RAL 7044)		

SPECIFICATION SHEET

## ORDERING INFO

Model (Order Code)	Finish	LED Power	LED	Driver Options*	Dimming Options
	<input type="radio"/> Coral Red	<input type="radio"/> 26W	<input type="radio"/> 2700K	<input type="radio"/> Surface mount	<input type="radio"/> 120V LTE
	<input type="radio"/> Grey Blue	<input type="radio"/> 47.6W	<input type="radio"/> 3000K	<input type="radio"/> Remote	<input type="radio"/> 120-277V 0-10V
	<input type="radio"/> Cement Grey		<input type="radio"/> 4000K		
	<input type="radio"/> Silk Grey				

\*Installation Note: See details about the surface mount driver and remote driver on the installation instruction sheet.




# DUNA™ 2000

SUSPENSION


TYPE:

PROJECT NAME:



## Technical information

Index Protection	IP20
Driver	Included
CRI	90
Temperature	2700K / 3000K / 4000K
Lifetime	50.000h
Technology	LED
Guarantee	5 years
Voltage	120V
Flicker	Flicker free
Step McAdam	3-SDCM



Duna Suspension 2000  
L6531607-

## Model

	Colour	CRI/Temp.	Led
L6531607	● C Coral Red (RAL 3016)	H 927	L 5394 lm / 45.5W
	● M Grey Blue (RAL 5008)	E 930	H 9895 lm / 83.3W
	● J Cement Grey (RAL 7033)	F 940	
	● E Silk Grey (RAL 7044)		

SPECIFICATION SHEET

## ORDERING INFO

Model (Order Code)	Finish	LED Power	LED	Driver Options*	Dimming Options
	<input type="radio"/> Coral Red	<input type="radio"/> 45.5W	<input type="radio"/> 2700K	<input type="radio"/> Surface mount	<input type="radio"/> 120V LTE
	<input type="radio"/> Grey Blue	<input type="radio"/> 83.3W	<input type="radio"/> 3000K	<input type="radio"/> Remote	<input type="radio"/> 120-277V 0-10V
	<input type="radio"/> Cement Grey		<input type="radio"/> 4000K		
	<input type="radio"/> Silk Grey				

\*Installation Note: See details about the surface mount driver and remote driver on the installation instruction sheet.

