








TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

### | I-DEA LAMPSHADE




CODE / DESCRIPTION OP BL AR VE

**5531\*** / Lampshade

Die cast paste polycarbonate lampshade.  
Resistant to UV degeneration.  
Special internal light-diffusion grooving.  
CE

### | I-DEA PREZIOSA LAMPSHADE




CODE / DESCRIPTION BL VE AM BR

**5534\*** / Glass lampshade

Crafted glass lampshade with interior  
lampshade in white polycarbonate.  
Available to mount on lamp series cod.  
5536 - 5537.  
CE

### | LED LIGHT BODY




CODE LAMP W -Real output GR

**5537\*** Led 14 1420 747

Clear polycarbonate diffuser.  
To be installed on I-Dea/I-Lux poles or  
on any pole 60 mm diameter.  
IP 65 / Class II / IK 000  
CRI 85 / Driver IN  
120V/60Hz  
CE  
**Standard 4000K.** Other tonality on  
request. Add TC to the code if 3000K.


### | E27 LIGHT BODY



CODE LAMP W GR

**5536\*** E 27 18-23-33


Clear polycarbonate diffuser.  
To be installed on I-Dea/I-Lux poles or  
on any pole 60 mm diameter.  
IP 65 / Class II   
CE



TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

| ALUMINIUM POLES




CODE / DESCRIPTION GR

**3501\*** / Aluminium pole

**3502\*** / Aluminium pole

Structure in aluminium extruded.  
Base in forged aluminium.  
Pole only, I-Dea fitting supplied separately.  
Class II

| SPIKE




CODE / DESCRIPTION

**5505** / Spike

Technopolymer body.  
Small blocking bars incorporated.

| PLATE WITH ANCHORING SET



CODE / DESCRIPTION

**5519** / Plate with anchoring set

Stainless steel plate with anchoring set.  
Suitable for code 3501-3502.