

LOTO MEGA™

SUSPENSION

TYPE:

PROJECT NAME:

Finish

Fabric diffusers:



Pleated



Pleated ribbon

Fabric lampshade



IP20

SPECIFICATION SHEET



Canopy detail for
Mini



Canopy detail for
Medium & Large

* on demand

** cable on measure

Luminart®

WWW.LUMINARTLIGHTING.COM

Last updated: 02/12/25

LOTO MEGA™

SUSPENSION

TYPE:

PROJECT NAME:



Pleated



Cod. 500
White



Cod. 513
Ivory



Cod. 501
Beige



Cod. 514
Hazel



Cod. 505
Brown



Cod. 516
Dark brown



Cod. 517
Red brick



Cod. 511
Orange



Cod. 504
Flame red



Cod. 512
Dark red



Cod. 520
Electric blue



Cod. 515
Military



Cod. 509
Light grey



Cod. 519
Dark grey




Cod. 510
Anthracite




Cod. 502
Black



Pleated Ribbon



Cod. 700
Ivory



Cod. 704
Ecrú



Cod. 701
Leather



Cod. 705
Yellow



Cod. 703
Slate grey



Cod. 708
Cast Iron



Cod. 709
Dark green

SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

LOTO MEGA™

SUSPENSION


TYPE:

PROJECT NAME:


Loto mega	Ø 140 x 115 cm weight 30 kg	lamp type 1 LED module 57 W luminous efficacy 8750 Lm light color 2700 K	L82LOTESP115P02
	Ø 140 x 160 cm weight 40 kg	lamp type 1 LED module 88 W luminous efficacy 12380 Lm light color 2700 K	L82LOTESP160P05

ORDERING INFO


Model (Order Code)	Finish	LED	Voltage	Dimming
		<input type="radio"/> 2700K	<input type="radio"/> 120V	<input type="radio"/> LTE (Leading/Trailing Edge Dim)
		<input type="radio"/> 3000K	<input type="radio"/> 277V	<input type="radio"/> 010V (0-10V)
		<input type="radio"/> 4000K		


 Fixture comes with a 4" backplate that mounts to a standard junction box. Please note: 277V is only compatible with 0-10V dimming. Screw-in bulbs are only compatible with 120V with LTE dimming.

LOTO MEGA 140 x 115



LOTO MEGA 140 x 160



SPECIFICATION SHEET

LOTO™

SUSPENSION

TYPE:

PROJECT NAME:

Mini pendant lamp - ø 16 without plex	ø 16 x 14 cm 0,7 Kg	lamp type 1xE12 LED 42W	L82LOTES016P01
Medium pendant lamp - ø 43	ø 43 x 29 cm 2 Kg	lamp type 2xE26 LED 42W	L82LOTESP043P01
Medium pendant lamp - ø 43	ø 43 x 29 cm 2 Kg	lamp type 1 led module 23W luminous efficacy 2628 Lm light color 2700 K cri >80	L82LOTESP043P02
Large pendant lamp - ø 60	ø 60 x 31 cm 3 Kg	lamp type 3xE26 LED 70W	L82LOTESP060P01
Large pendant lamp - ø 60	ø 60 x 31 cm 3 Kg	lamp type 1 led module 23W luminous efficacy 3628 Lm light color 2700 K cri >80	L82LOTESP060P05

ORDERING INFO

Model (Order Code)	Finish	LED	Voltage	Dimming
		<input type="radio"/> 2700K	<input type="radio"/> 120V	<input type="radio"/> LTE (Leading/Trailing Edge Dim)
		<input type="radio"/> 3000K	<input type="radio"/> 277V	<input type="radio"/> 0-10V (0-10V)
		<input type="radio"/> 4000K		



Fixture comes with a 4" backplate that mounts to a standard junction box.


Please note: 277V is only compatible with 0-10V dimming. Screw-in bulbs are only compatible with 120V with LTE dimming.

LOTO 16



16 cm
6.30"

LOTO 43



43 cm
16.93"

LOTO 60



60 cm
23.62"

SPECIFICATION SHEET

LOTO™

SUSPENSION

TYPE:

PROJECT NAME:

Maxi pendant lamp - ø 80	ø 80 x 35 cm 5 Kg	lamp type 4xE26 LED 70W	L82LOTESP080P01
Maxi pendant lamp - ø 80	ø 80 x 35 cm 5 Kg	lamp type 1 led module 23W luminous efficacy 3628 Lm light color 2700 K cri >80	L82LOTESP080P05
Mega pendant lamp - ø 100	ø 100 x 35 cm 7 Kg	lamp type 4xE26 LED 70W	L82LOTESP100P01
Mega pendant lamp - ø 100	ø 100 x 35 cm 7 Kg	lamp type 1 led module 23W luminous efficacy 3628 Lm light color 2700 K cri >80	L82LOTESP100P08
Mega pendant lamp - ø 100	ø 100 x 35 cm 7 Kg	lamp type 1 led module 57W luminous efficacy 8750 Lm light color 2700 K cri >80	L82LOTESP100P11

ORDERING INFO

Model (Order Code)

Finish

LED

Voltage

Dimming

- 2700K
- 3000K
- 4000K

- 120V
- 277V


- LTE (Leading/Trailing Edge Dim)
- 010V (0-10V)



Fixture comes with a 4" backplate that mounts to a standard junction box.

Please note: 277V is only compatible with 0-10V dimming. Screw-in bulbs are only compatible with 120V with LTE dimming.


LOTO 80



35 cm 200 cm
13.78" 78.74"

80 cm
31.50"

LOTO 100



35 cm 200 cm
13.78" 78.74"

100 cm
39.3"

SPECIFICATION SHEET

LOTO™

SUSPENSION


TYPE:

PROJECT NAME:


Extra pendant lamp - ø 140	ø 140 x 60 cm 20 Kg	lamp type 6xE26 LED 105W	L82LOTESP140P01
Extra pendant lamp - ø 140	ø 140 x 60 cm 20 Kg	lamp type 1 led module 57W luminous efficacy 8750 Lm light color 2700 K cri >80	L82LOTESP140P08
Extra pendant lamp - ø 140	ø 140 x 60 cm 20 Kg	lamp type 1 led module 88.2W luminous efficacy 12380 Lm light color 2700 K cri >80	L82LOTESP140P13

ORDERING INFO

Model (Order Code)	Finish	LED	Voltage	Dimming
		<input type="radio"/> 2700K	<input type="radio"/> 120V	<input type="radio"/> LTE (Leading/Trailing Edge Dim)
		<input type="radio"/> 3000K	<input type="radio"/> 277V	<input type="radio"/> 0-10V (0-10V)
		<input type="radio"/> 4000K		


 Fixture comes with a 4" backplate that mounts to a standard junction box.
 Please note: 277V is only compatible with 0-10V dimming. Screw-in bulbs are only compatible with 120V with LTE dimming.

LOTO 140



SPECIFICATION SHEET