


MATRIX PLUS™ M2


RECESSED

TYPE:


PROJECT NAME:




White with Gold reflector




White with Silver High Gloss reflector



White with White reflector




White with Black High Gloss reflector




White with Chrome reflector



White with Black Matte reflector



White with Copper reflector



Black with Gold reflector



Black with Silver High Gloss reflector



Black with White reflector




Black with Black High Gloss reflector



Black with Chrome reflector



Black with Black Matte reflector



Black with Copper reflector


SPECIFICATION SHEET

MATRIX PLUS™ M2

RECESSED

TYPE:

PROJECT NAME:



Versions

- 2x1140lm 2700K 2x12.5W black high gloss
- 2x1180lm 3000K 2x12.5W black high gloss
- 2x1200lm 4000K 2x12.5W black high gloss
- 2x1240lm 2700K 2x12.5W silver high gloss
- 2x1290lm 3000K 2x12.5W silver high gloss
- 2x1300lm 4000K 2x12.5W silver high gloss
- 2x1200lm 2700K 2x12.5W chrome
- 2x1260lm 3000K 2x12.5W chrome
- 2x1270lm 4000K 2x12.5W chrome
- 2x1160lm 2700K 2x12.5W white
- 2x1200lm 3000K 2x12.5W white
- 2x1220lm 4000K 2x12.5W white
- 2x1160lm 2700K 2x12.5W gold
- 2x1200lm 3000K 2x12.5W gold
- 2x1220lm 4000K 2x12.5W gold
- 2x1060lm 2700K 2x12.5W black matte
- 2x1120lm 3000K 2x12.5W black matte
- 2x1130lm 4000K 2x12.5W black matte

Additional Features

- Adjustable
- IP20
- 90 CRI

ORDERING INFO

Model (Order Code)	Structure Finish	LED	Optic	Reflector Finish	Driver Options
<input type="radio"/> L92133 (Medium)	<input type="radio"/> W White <input type="radio"/> B Black	<input type="radio"/> 927 2700K <input type="radio"/> 930 3000K <input type="radio"/> 940 4000K	<input type="radio"/> 40°	<input type="radio"/> BG Black High Gloss <input type="radio"/> SG Silver High Gloss <input type="radio"/> CH Chrome <input type="radio"/> WH White <input type="radio"/> GO Gold <input type="radio"/> BM Black Matte	<input type="radio"/> 120V Phase Dimming <input type="radio"/> 120V 0-10V Dimming <input type="radio"/> 277V 0-10V Dimming

SPECIFICATION SHEET

