

# MILLELUCI™

SUSPENSION

TYPE:

PROJECT NAME:

## Finish

Fabric diffusers:



Cotton



Pleated



Pleated ribbon



Wool

Fabric lampshade



IP20

SPECIFICATION SHEET



Canopy detail

\* on demand

\*\* cable on measure

**Luminart®**

WWW.LUMINARTLIGHTING.COM

# MILLELUCI™

## SUSPENSION


TYPE:

PROJECT NAME:




COTTON  
100% cotton

SPECIFICATION SHEET



Code 300

Ivory



Code 301

White



Code 302

Sand




Code 323

Sage



Code 317

Dove colour




Code 324

Ecru



Code 305

Lobate pink




Code 314

Brown



Code 312

Light grey



Code 310

Anthracite



Code 313

Black


Code 315

Orange



Code 318

Moss



Code 319

Teal



Code 327

Lavender



Code 320

Mallow



Code 321

Periwinkle



Code 326

Navy blue



Code 303

Golden  
yellow




Code 306

Red



Code 316

Green



# MILLELUCI™

SUSPENSION

TYPE:

PROJECT NAME:



PLEATED  
100% polyester



Code 501

Beige


Code 516

Dark brown




Code 517

Red brick



Code 511

Orange




Code 500

White

Code 504

Flame red





Code 513

Ivory

Code 512

Dark red



Code 509

Light grey

Code 520

Electric blue




Code 514

Hazel

Code 519

Dark grey





Code 515

Military

Code 510

Anthracite



Code 505

Brown

Code 502

Black



SPECIFICATION SHEET

# MILLELUCI™

SUSPENSION

TYPE:

PROJECT NAME:



**WOOL**  
70% wool  
30% polyamide



Code 650

Sand


Code 652

Green





Code 660

Dark green



Code 661

Curry





Code 659

Chestnut

Code 662

Turquoise




Code 658

Grey

Code 655

Avio blue




Code 656

Dark grey

Code 654

Purple



Code 651

Orange

Code 657

Cardinal red



Code 653

Mustard yellow

SPECIFICATION SHEET

# MILLELUCI™

## SUSPENSION

**TYPE:**

**PROJECT NAME:**



**PLEATED RIBBON**  
100% polyester



Code 700

Ivory



Code 704

Ecrù



Code 701

Leather



Code 705

Yellow



Code 703

Slate grey



Code 709

Dark green



Code 708

Anthracite

SPECIFICATION SHEET

# MILLELUCI™

## SUSPENSION

**TYPE:**

**PROJECT NAME:**

<b>Mini pendant lamp - ø 40</b>	ø 40 x 22 cm 2 Kg	lamp type 1xE26 LED 15W	L82MILESP040C01
<b>Medium pendant lamp - ø 80</b>	ø 80 x 45 cm 6 Kg	lamp type 4xE26 LED 15W	L82MILESP080C01
<b>Medium pendant lamp - ø 80</b>	ø 80 x 45 cm 6 Kg	lamp type 1 led module 29.3W luminous efficacy 3900 Lm light colour 2700 K cri >80	L82MILESP080C05
<b>Large pendant lamp - ø 100 x h 35</b>	ø 100 x 35 cm 7 Kg	lamp type 4xE26 LED 15W	L82MILESP035C01




### ORDERING INFO

Model (Order Code)	Finish	LED	Voltage	Dimming
		<input type="radio"/> 2700K	<input type="radio"/> 120V	<input type="radio"/> LTE (Leading/Trailing Edge Dim)
		<input type="radio"/> 3000K	<input type="radio"/> 277V	<input type="radio"/> 010V (0-10V)
		<input type="radio"/> 4000K		



Fixture comes with a 4" backplate that mounts to a standard junction box.

Please note: 277V is only compatible with 0-10V dimming. Screw-in bulbs are only compatible with 120V with LTE dimming.



SPECIFICATION SHEET

# MILLELUCI™

## SUSPENSION


**TYPE:**


**PROJECT NAME:**

<b>Large pendant lamp - ø 100 x h 35</b>	ø 100 x 35 cm 7 Kg	lamp type 1 led module 29.3W luminous efficacy 3900 Lm light colour 2700 K cri >80	L82MILESP035C08
<b>Large pendant lamp - ø 100 x h 35</b>	ø 100 x 35 cm 7 Kg	lamp type 1 led module 88.2W luminous efficacy 11780 Lm light colour 2700 K cri >80	L82MILESP035C11
<b>Maxi pendant lamp - ø 100 x h 60</b>	ø 100 x 60 cm 9 Kg	lamp type 4xE26 LED 15W	L82MILESP060C01
<b>Maxi pendant lamp - ø 100 x h 60</b>	ø 100 x 60 cm 9 Kg	lamp type 1 led module 29.3W luminous efficacy 3900 Lm light colour 2700 K cri >80	L82MILESP060C08

### ORDERING INFO

Model (Order Code)	Finish	LED	Voltage	Dimming
		<input type="radio"/> 2700K	<input type="radio"/> 120V	<input type="radio"/> LTE (Leading/Trailing Edge Dim)
		<input type="radio"/> 3000K	<input type="radio"/> 277V	<input type="radio"/> 0-10V (0-10V)
		<input type="radio"/> 4000K		


 Fixture comes with a 4" backplate that mounts to a standard junction box.  
 Please note: 277V is only compatible with 0-10V dimming. Screw-in bulbs are only compatible with 120V with LTE dimming.



SPECIFICATION SHEET

# MILLELUCI™

SUSPENSION


**TYPE:**


**PROJECT NAME:**

Extra pendant lamp - ø 150 x h 60	ø 150 x 60 cm 18 Kg	lamp type 6xE26 LED 15W	L82MILESP150P01
Extra pendant lamp - ø 150 x h 60	ø 150 x 60 cm 18 Kg	lamp type 1 led module 108W luminous efficacy 14500 Lm light colour 2700 K cri >80	L82MILESP150P05

## ORDERING INFO

Model (Order Code)	Finish	LED	Voltage	Dimming
		<input type="radio"/> 2700K	<input type="radio"/> 120V	<input type="radio"/> LTE (Leading/Trailing Edge Dim)
		<input type="radio"/> 3000K	<input type="radio"/> 277V	<input type="radio"/> 010V (0-10V)
		<input type="radio"/> 4000K		


 Fixture comes with a 4" backplate that mounts to a standard junction box.  
 Please note: 277V is only compatible with 0-10V dimming. Screw-in bulbs are only compatible with 120V with LTE dimming.



SPECIFICATION SHEET