

# PEGGY CONE

CEILING

TYPE:

PROJECT NAME:

IP20



## Finish

Non-acoustic:



White

PMMA



Black



Matte gold


Acoustic:



Wool

Uplight and  
downlight

Painted metal disc  
or wool fabric  
acoustic disc. Conic  
diffuser in painted  
metal or globe  
diffuser in opal  
PMMA



Peggy: Up light  
emission detail



Peggy LED:Up light  
emission detail

SPECIFICATION SHEET

# PEGGY CONE

CEILING

TYPE:

PROJECT NAME:



**WOOL**  
70% wool  
30% polyamide




Code 650

Sand


Code 652

Green




Code 660

Dark green



Code 661

Curry





Code 659

Chestnut

Code 662

Turquoise




Code 658

Grey

Code 655

Avio blue




Code 656

Dark grey

Code 654

Purple



Code 651

Orange

Code 657

Cardinal red



Code 653

Mustard yellow

SPECIFICATION SHEET


# PEGGY CONE

CEILING

**TYPE:**

**PROJECT NAME:**

<b>Ceiling lamp - D. 60</b>	ø 60 x 26 cm 6 Kg	lamp type 1 x 15W E26 LED + 3 x 5W R7S LED	L82PEGEPL060G01
	ø 60 x 26 cm 6 Kg	lamp type 2 led module 17W + 9W luminous efficacy 3755 Lm light colour 2700 K cri >80	L82PEGEPL060G02
<b>Ceiling lamp - D. 80</b>	ø 80 x 28 cm 8,5 Kg	lamp type 1 x 15W E26 LED + 3 x 5W R7S LED	L82PEGEPL080G01
	ø 80 x 28 cm 8,5 Kg	lamp type 2 led module 17W + 18W luminous efficacy 5141 Lm light colour 2700 K cri >80	L82PEGEPL080G02
<b>Ceiling lamp - D. 100</b>	ø 100 x 40 cm 12 Kg	lamp type 1 x 15W E26 LED + 3 x 5W R7S LED	L82PEGEPL100G01
	ø 100 x 40 cm 12 Kg	lamp type 2 led module 17W + 18W luminous efficacy 5287 Lm light colour 2700 K cri >80	L82PEGEPL100G02



## ORDERING INFO

Model (Order Code)

Finish

LED

Remote Driver Options

- 2700K
- 3000K
- 4000K

- 120V Phase Dimming
- 277V 0-10V Dimming



Fixture comes with a 4" backplate that mounts to a standard junction box.

SPECIFICATION SHEET

**Luminart®**

WWW.LUMINARTLIGHTING.COM