

RAE™ 600

SUSPENSION

TYPE:

PROJECT NAME:



The hanging fixture Rae was designed with industrial style enthusiasts in mind, although it will be appreciated by a broader audience. Thanks to its versatile light beam, you can effortlessly adapt it to any interior!

Color rendering: CRI 90

Mounting:

Supplied with 80" (2000mm) long suspension aircraft cable (standard) and canopy.
Custom cable length on request (Please specify).

Materials: Aluminum


Ingress protection: IP20

Electrical: High efficiency electronic power supply, rated 50,000 hours 120V-277V

Input [W]		19W
Lum. flux of light source [lm]	50°	1588 lm

Finish options:

Black, White, Dust, Terracotta, Ocean Grey, Gold



SPECIFICATION SHEET

ORDERING INFO

L545.3500	-	50	-	-
Model (Order Code)	Structure Finishes	Optic Options	LED	Dimming Options
<input type="radio"/> L545.3500 19W	<input type="radio"/> 12: Black <input type="radio"/> 13: White <input type="radio"/> 21: Terracotta <input type="radio"/> 22: Ocean Grey <input type="radio"/> 23: Dust <input type="radio"/> 80: Gold	<input type="radio"/> 50: 50°	<input type="radio"/> 27: 2700K <input type="radio"/> 30: 3000K <input type="radio"/> 40: 4000K	<input type="radio"/> 120V LTE <input type="radio"/> 120V-277V 0-10V



RAE™ 900

SUSPENSION

TYPE:

PROJECT NAME:



The hanging fixture Rae was designed with industrial style enthusiasts in mind, although it will be appreciated by a broader audience. Thanks to its versatile light beam, you can effortlessly adapt it to any interior!

Color rendering: CRI 90

Mounting:

Supplied with 80" (2000mm) long suspension aircraft cable (standard) and canopy.
Custom cable length on request (Please specify).

Materials: Aluminum


Ingress protection: IP20

Electrical: High efficiency electronic power supply, rated 50,000 hours 120V-277V

Input [W]		27W
Lum. flux of light source [lm]	50°	2382 lm

Finish options:

Black, White, Dust, Terracotta, Ocean Grey, Gold



SPECIFICATION SHEET

ORDERING INFO

L545.3503	-	50	-	-
Model (Order Code)	Structure Finishes	Optic Options	LED	Dimming Options
<input type="radio"/> L545.3503 27W	<input type="radio"/> 12: Black <input type="radio"/> 13: White <input type="radio"/> 21: Terracotta <input type="radio"/> 22: Ocean Grey <input type="radio"/> 23: Dust <input type="radio"/> 80: Gold	<input type="radio"/> 50: 50°	<input type="radio"/> 27: 2700K <input type="radio"/> 30: 3000K <input type="radio"/> 40: 4000K	<input type="radio"/> 120V LTE <input type="radio"/> 120V-277V 0-10V




RAE™ 1200

SUSPENSION

TYPE:

PROJECT NAME:



The hanging fixture Rae was designed with industrial style enthusiasts in mind, although it will be appreciated by a broader audience. Thanks to its versatile light beam, you can effortlessly adapt it to any interior!

Color rendering: CRI 90

Mounting:

Supplied with 80" (2000mm) long suspension aircraft cable (standard) and canopy.
Custom cable length on request (Please specify).

Materials: Aluminum


Ingress protection: IP20

Electrical: High efficiency electronic power supply, rated 50,000 hours 120V-277V

Input [W]		36W
Lum. flux of light source [lm]	50°	3176 lm

Finish options:

Black, White, Dust, Terracotta, Ocean Grey, Gold



SPECIFICATION SHEET

ORDERING INFO

L545.3506	-	50	-	-
Model (Order Code)	Structure Finishes	Optic Options	LED	Dimming Options
<input type="radio"/> L545.3506 27W	<input type="radio"/> 12: Black <input type="radio"/> 13: White <input type="radio"/> 21: Terracotta <input type="radio"/> 22: Ocean Grey <input type="radio"/> 23: Dust <input type="radio"/> 80: Gold	<input type="radio"/> 50: 50°	<input type="radio"/> 27: 2700K <input type="radio"/> 30: 3000K <input type="radio"/> 40: 4000K	<input type="radio"/> 120V LTE <input type="radio"/> 120V-277V 0-10V



RAE™ 1400

SUSPENSION

TYPE:

PROJECT NAME:



The hanging fixture Rae was designed with industrial style enthusiasts in mind, although it will be appreciated by a broader audience. Thanks to its versatile light beam, you can effortlessly adapt it to any interior!

Color rendering: CRI 90

Mounting:

Supplied with 80" (2000mm) long suspension aircraft cable (standard) and canopy.
Custom cable length on request (Please specify).

Materials: Aluminum


Ingress protection: IP20

Electrical: High efficiency electronic power supply, rated 50,000 hours 120V-277V

Input [W]		44W
Lum. flux of light source [lm]	50°	3970 lm

Finish options:

Black, White, Dust, Terracotta, Ocean Grey, Gold



SPECIFICATION SHEET

ORDERING INFO

L545.3509	-	50	-	
Model (Order Code)	Structure Finishes	Optic Options	LED	Dimming Options
<input type="radio"/> L545.3509 44W	<input type="radio"/> 12: Black <input type="radio"/> 13: White <input type="radio"/> 21: Terracotta <input type="radio"/> 22: Ocean Grey <input type="radio"/> 23: Dust <input type="radio"/> 80: Gold	<input type="radio"/> 50: 50°	<input type="radio"/> 27: 2700K <input type="radio"/> 30: 3000K <input type="radio"/> 40: 4000K	<input type="radio"/> 120V LTE <input type="radio"/> 120V-277V 0-10V



RAE™

SUSPENSION

TYPE:

PROJECT NAME:



SPECIFICATION SHEET