


# RIGHELLO™

WALL

TYPE:

PROJECT NAME:



## Finish

IP20

Lampshade:



Wool



Fabric lampshade,  
metal structure



Uplight and  
downlight: L 125 Up  
2560 lm - Down  
5120 lm / L 160 Up  
2560 lm - Down  
6400 lm



SPECIFICATION SHEET

**Luminart®**

WWW.LUMINARTLIGHTING.COM

# RIGHELLO™

WALL

TYPE:

PROJECT NAME:



**WOOL**  
70% wool  
30% polyamide




Code 650

Sand

Code 652

Green




Code 660

Dark green



Code 661

Curry



Code 659

Chestnut

Code 662

Turquoise




Code 658

Grey

Code 655

Avio blue




Code 656

Dark grey

Code 654

Purple



Code 651

Orange

Code 657

Cardinal red



Code 653

Mustard yellow

SPECIFICATION SHEET


# RIGHELLO™

## SUSPENSION


**TYPE:**

**PROJECT NAME:**

<b>Wall lamp - L 125</b>	∅ 125 x 13 x 21 cm 4 Kg	lamp type 2 linear modules 48 W luminous efficacy 7600 Lm light colour 3000 K cri >80	L82RIGEAP125E01
<b>Wall lamp - L 160</b>	∅ 160 x 13 x 21 cm 7 Kg	lamp type 2 linear modules 56 W luminous efficacy 8960 Lm light colour 3000 K cri >80	L82RIGEAP160E01



125 cm    13 cm  
49.21"    5.11"



160 cm    13 cm  
62.99"    5.11"

### ORDERING INFO

Model (Order Code)	Finish	LED	Remote Driver Options
		<input type="radio"/> 2700K	<input type="radio"/> 120V Phase Dimming
		<input type="radio"/> 3000K	<input type="radio"/> 120V 0-10V Dimming
		<input type="radio"/> 4000K	<input type="radio"/> 277V 0-10V Dimming

SPECIFICATION SHEET

