


# ROUND CONTROL™ MINI

CEILING/WALL

TYPE:

PROJECT NAME:



## round control mini

design by glenn marys

Round control is designed as a ceiling- and wall surface mounted system. During the installation, it can be adapted to any architectural concept due to countless variations in the design. The graphic character of the minimalistic design reveals its functions very honestly. Round control is devised for lighting rooms in commercial areas, board rooms and lounge areas as well as residential rooms. The indirect lighting – with high power LED modules - creates a soft and comfortable atmosphere when dimmed and provides a functional lighting at full power.

SPECIFICATION SHEET

**Luminart®**

WWW.LUMINARTLIGHTING.COM


# ROUND CONTROL™ MINI CC LED

## CEILING/WALL

TYPE:

PROJECT NAME:

round control mini 2/4/6 base



voltage	120V
class	1
diameter	80 mm (3.14")
height	100 mm (3.93")

order code base 2-arm

white	L30T100H4DWL
black	L30T100H4DZL


order code base 4-arm

white	L30T100H5DWL
black	L30T100H5DZL

order code base 6-arm

white	L30T100H6DWL
black	L30T100H6DZL

round control mini arm 1




Ø130  
(Ø5.11")

lamp type	LED
colour temp.	2700K
max. watt	4W
voltage	120V
lumen	600
length	250 mm (9.84")
width	130 mm (5.11")

order code

white	L30T100P7DWLCA
black	L30T100P7DZLCA

round control mini arm 2




Ø130  
(Ø5.11")

lamp type	LED
colour temp.	2700K
max. watt	4W
voltage	120V
lumen	600
length	350 mm (13.77")
width	130 mm (5.11")

order code

white	L30T100P8DWLCA
black	L30T100P8DZLCA

round control mini arm 3




Ø130  
(Ø5.11")

lamp type	LED
colour temp.	2700K
max. watt	4W
voltage	120V
lumen	600
length	450 mm (17.71")
width	130 mm (5.11")

order code

white	L30T100P9DWLCA
black	L30T100P9DZLCA

round control mini arm 4




Ø130  
(Ø5.11")

lamp type	LED
colour temp.	2700K
max. watt	4W
voltage	120V
lumen	600
length	550 mm (21.65")
width	130 mm (5.11")

order code

white	L30T100P10DWLCA
black	L30T100P10DZLCA

round control mini arm 5





Ø130  
(Ø5.11")

lamp type	LED
colour temp.	2700K
max. watt	4W
voltage	120V
lumen	600
length	650 mm (25.6")
width	130 mm (5.11")

order code

white	L30T100P11DWLCA
black	L30T100P11DZLCA



SPECIFICATION SHEET

### ORDERING INFO

Model (Order Code)

Voltage

Dimming

Please note:  
277V is only compatible with 0-10V dimming

- 120V  
 277V

- LTE (Leading/Trailing Edge Dim)  
 010V (0-10V)



Installation note: Comes with a 4" backplate that mounts to a standard junction box

# ROUND CONTROL™ MINI



TYPE:

CEILING/WALL

PROJECT NAME:



## 2 arms example

round control mini 2





## 4 arms example

round control mini 4



## 6 arms example

round control mini 6



SPECIFICATION SHEET