

SKYLINE™ MAXI

RECESSED

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

SKYLINE™ MAXI

RECESSED



TYPE:

PROJECT NAME:



L676655

1 kg.



See next page for lengths

.01

101.5X4.8 cm.
(39.96"X1.88")



ORDERING INFO

Model	Length	Wattage	LED	Dimming	Voltage	Configuration Notes
○ L676655	○ 02: 2'	○ 5W/FT	○ 27K (2700K)	○ LTE (Leading/ Trailing Edge Dim)	○ 120V ○ 277V	
	○ 04: 4'	○ 7W/FT				
	○ 06: 6'		○ 30K (3000K)			
	○ 08: 8'		○ 40K (4000K)			○ 010V (0-10V)
	○ Custom					

SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM
Last updated: 9/06/19



SKYLINE™ MAXI

RECESSED

TYPE:

PROJECT NAME:

Length	
Standard Lengths	Custom Lengths
<p>2', 4', 6', and 8' precut lengths available. These pieces can be joined together to form longer runs.</p> <p>2' 24"</p> <p>4' 48"</p> <p>6' 72"</p> <p>8' 96"</p>	<p>Custom lengths are available in increments of 4", up to 8'. These can be combined with standard lengths to create, for example, a run that is 4'8". Please remember to add 0.3cm (0.11") x2 for the end caps.</p> <p>4"</p>



90° angled options are available upon request

SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM
Last updated: 9/06/19