

BLOK™

CEILING

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

Luminart®


WWW.LUMINARTLIGHTING.COM
Last updated: 05/14/24

BLOK™

CEILING

TYPE:

PROJECT NAME:



Technical information:

Installation:	Ceiling
Material:	Aluminium
Source type:	LED
Diffuser type:	Polycarbonate
CRI:	>80
LB Factor:	L80B20 - 50.000h
Power consumption [Watt]	4 / 7
Source Lumen:	402 / 752 lm
Delivered Lumen:	209-571 lm
Type of protection:	IP66

SPECIFICATION SHEET

ORDERING INFO

Model (Order Code)	Structure Finish	Diffuser	Optic Options	LED	Dimming Options
<input type="radio"/> L53 BLOK CEILING	<input type="radio"/> BL: Black <input type="radio"/> CO: Corten <input type="radio"/> AN: Anthracite <input type="radio"/> GR: Grey <input type="radio"/> WH: White	<input type="radio"/> Poliglass <input type="radio"/> Transparent	<input type="radio"/> 17: 17° <input type="radio"/> 24: 24° <input type="radio"/> 36: 36°	<input type="radio"/> 2700K <input type="radio"/> 3000K <input type="radio"/> 4000K	<input type="radio"/> 120V LTE <input type="radio"/> 120V 0-10V <input type="radio"/> 277V 0-10V



Luminart®

WWW.LUMINARTLIGHTING.COM

