

WETT™ XL

RECESSED INGROUND SUBMERSIBLE

TYPE:

PROJECT NAME:

LIGHTING FEATURES


LED COLOUR	2200K, 2700K, 3000K, 4000K, Red, Green, Blue
CRI	>80 (2200K, 2700K, 3000K, 4000K)
OPTICS	18°, 24°, 36°, Diffused, ASYM, 60°, 20° x 50°
3000K REAL OUTPUT FLUX	12W 1008lm 36°
AVERAGE LED LIFE	50.000h L80 B10

MECHANICAL FEATURES

WEIGHT	kg 2,4
FINISHES	Steel
INSTALLATION	Recessed in ground with housing box, recessed in brickwork with housing box, installation out of water with standard housing box, permanent immersion installation with IP68 housing box or liner kit
MATERIAL	AISI 316L stainless steel body, AISI 316L stainless steel trim, transparent tempered glass and PMMA lens

GENERAL FEATURES

OPERATING TEMPERATURE	-10°C +45°C
INGRESS PROTECTION	IP68
IMPACT RESISTANCE	IK09
GLOW WIRE TEST	960°C
APPLIANCE CLASS	II



ORDERING INFO

Model (Order Code)	Structure Finish	Optic Options	Accessories	Filter Options	LED	Remote Driver
<input type="radio"/> WETTXL 12W	<input type="radio"/> S: AISI 316L	<input type="radio"/> 18: 18°	<input type="radio"/> CA101:	<input type="radio"/> HC: Honeycombo	<input type="radio"/> 22: 2200K	<input type="radio"/> 120V LTE
<input type="radio"/> WETTXL 18W	Stainless Steel	<input type="radio"/> 24: 24°	Housing Box	<input type="radio"/> BC: Black & Clear	<input type="radio"/> 27: 2700K	<input type="radio"/> 120-277V 0-10V
	Marine Grade	<input type="radio"/> 36: 36°	<input type="radio"/> CA8101:	<input type="radio"/> BD: Black & Diffused	<input type="radio"/> 30: 3000K	
		<input type="radio"/> 60: 60°	Housing Box		<input type="radio"/> 40: 4000K	
		<input type="radio"/> D: Diffused			<input type="radio"/> R: Red	
		<input type="radio"/> ASYM			<input type="radio"/> G: Green	
		<input type="radio"/> 2050:			<input type="radio"/> B: Blue	
		20° x 50°				



SPECIFICATION SHEET

WETT™ XL

RECESSED - ACCESSORIE

TYPE:



PROJECT NAME:

CODE CA101

TPOLOGY *Housing box*



MATERIAL *Aluminum*





CODE C8101

TPOLOGY *IP68 Housing box*



MATERIAL **PVC**



SPECIFICATION SHEET

WETT™ XL


RECESSED - FILTER

TYPE:


PROJECT NAME:

to be chosen

CODE	HC
TPOLOGY	<i>Honeycomb filter</i>
NOTE	<i>with 18°, 24°, 36°, 60°, 20°x 50°, ASYM lens only</i>



CODE	BC
TPOLOGY	<i>Black & Clear filter</i>
NOTE	<i>with 18°, 24°, 36°, 60° lens only</i>



CODE	BD
TPOLOGY	<i>Black & Diffused filter</i>
NOTE	<i>with diffused lens only</i>



SPECIFICATION SHEET