

BELL™

ACOUSTICAL SUSPENSION

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM
Last updated: 05/08/24

BELL™


ACOUSTICAL SUSPENSION

TYPE:



PROJECT NAME:

SIZE	Bell 600L	Bell 1400L	Bell 950XL
luminaire size	Ø570×415 (22.44"×16.33")	Ø1350×550×416 (53.14"×21.65"×16.37")	Ø945×620 (37.2"×24.4")
light source size	Ø140×162 (5.51"×6.37")	Ø856×43 (33.7"×1.69")	Ø600×82 (23.62"×3.22")
wattage	↓23 W	↓14.7 W	↓34 W
luminous flux	↓1508 lm	↓1734 lm	↓3500 lm
UGR	<19	<19	<17
CRI	>90	>90	>80
light distribution- down 40°		80°	95°
luminous efficiency	74lm/W	117lm/W	110lm/W

Technical information



electrical control	TRIAC 0-10V
LED module housing finish	black 9005 white 9010
shade fabric option	see next page



SPECIFICATION SHEET

ORDERING INFO

Model (Order Code)	LED	LED Module Housing Finish	Shade Fabric Option	Driver Options
<input type="radio"/> Bell L72-600L 23W	<input type="radio"/> 3000K	<input type="radio"/> Black 9005	See next page	<input type="radio"/> 120V Phase Dimming
<input type="radio"/> Bell L72-1400L 14.7W	<input type="radio"/> 4000K	<input type="radio"/> White 9010		<input type="radio"/> 120V 0-10V Dimming
<input type="radio"/> Bell L72-950XL 34W				<input type="radio"/> 277V 0-10V Dimming



Luminart®

WWW.LUMINARTLIGHTING.COM

BELL™

ACOUSTICAL SUSPENSION

TYPE:

PROJECT NAME:

Fabric palette: ecoPET 12mm

These high-quality sound panels are robust, durable, and have a slightly textile surface that can be washed. They have excellent sound-absorbing properties, are flame-resistant and recyclable. Furthermore, they are environmentally friendly as they are made from recycled PET bottles.



1201
Cloud



1202
Concrete



1203
Mist



1204
Iron



1205
Anthracite



1206
Ice



1207
Ocean




1208
Azure




1209
Sapphire



1210
Emerald



1211
Pistachio



1212
Citrus



1213
Amber



1214
Carmine



1215
Cayenne



1216
Charcoal



1217
Oat



1218
Clay



1219
Biscuit



1220
Milk