


TUBULA™ H110

CEILING

TYPE:

PROJECT NAME:



Finish options:

Black, White, Dust, Terracotta, Ocean Grey, Gold



Input [W]	20W	
Lum. flux of light source [lm]	69°	745 lm
	77°	663 lm

The aluminum body conceals integrated LED diodes behind a light-diffusing shade. Thanks to its minimalist design, Tubula works well in both modern and classic interiors, although it is most commonly used in kitchen areas.


Color rendering: CRI 80

Materials: Aluminum

Ingress protection: IP20

Electrical: High efficiency electronic power supply, rated 50,000 hours 120V-277V

Installation Note: Install on a standard 4" Octagonal junction box.



SPECIFICATION SHEET

ORDERING INFO

L543.1099

Model (Order Code)	Structure Finishes	Optic Options	LED	Dimming Options
<input type="radio"/> L543.1099 20W	<input type="radio"/> 12: Black <input type="radio"/> 13: White <input type="radio"/> 21: Terracotta <input type="radio"/> 22: Ocean Grey <input type="radio"/> 23: Dust <input type="radio"/> 80: Gold	<input type="radio"/> 69: 69° <input type="radio"/> 77: 77°	<input type="radio"/> 30: 3000K <input type="radio"/> 40: 4000K	<input type="radio"/> 120V LTE <input type="radio"/> 120V-277V 0-10V




TUBULA™ H200

CEILING

TYPE:

PROJECT NAME:



Finish options:

Black, White, Dust, Terracotta, Ocean Grey, Gold



Input [W]	20W	
Lum. flux of light source [lm]	69°	745 lm
	77°	663 lm

The aluminum body conceals integrated LED diodes behind a light-diffusing shade. Thanks to its minimalist design, Tubula works well in both modern and classic interiors, although it is most commonly used in kitchen areas.


Color rendering: CRI 80

Materials: Aluminum

Ingress protection: IP20

Electrical: High efficiency electronic power supply, rated 50,000 hours 120V-277V

Installation Note: Install on a standard 4" Octagonal junction box.



SPECIFICATION SHEET

ORDERING INFO

L543.1100

Model (Order Code)	Structure Finishes	Optic Options	LED	Dimming Options
<input type="radio"/> L543.1100 20W	<input type="radio"/> 12: Black <input type="radio"/> 13: White <input type="radio"/> 21: Terracotta <input type="radio"/> 22: Ocean Grey <input type="radio"/> 23: Dust <input type="radio"/> 80: Gold	<input type="radio"/> 69: 69° <input type="radio"/> 77: 77°	<input type="radio"/> 30: 3000K <input type="radio"/> 40: 4000K	<input type="radio"/> 120V LTE <input type="radio"/> 120V-277V 0-10V



TUBULA™

CEILING

TYPE:

PROJECT NAME:



SPECIFICATION SHEET