

BLOOM MAXI

INSTALLATION INSTRUCTIONS

TYPE:

PROJECT NAME:




Accessories

• KIT032




Plastic spike for ground fixing


• IP68 Terminal Block



MOR682P/2V Cable Ø4-8:
IP68 Linear Connector 2x1mm²




MOR685P/3VS Cable Ø4-8 / 8-12 / 10-14:
IP68 "Y" Connector 5x4mm²




MOR685P/4VS Cable Ø4-8 / 8-12 / 10-14:
IP68 "H" Connector 5x4mm²


• REMOTE DRIVER



24V IP67 Remote Power Supply




Luminaire supplied with cable L=1.2m type
H05RN 2x0.75mm²




Art.5085W/WRRC
Art.5085W/NRRC

Units = mm



CODE	LIGHT WAYS
NB	
MB	
WB	

Units = mm









Main Supply

BLOOM MAXI

INSTALLATION INSTRUCTIONS

TYPE:

PROJECT NAME:




BLOOM MAXI

INSTALLATION INSTRUCTIONS


TYPE:

PROJECT NAME:

4b Wiring with IP68 accessory




4c




Please unplug the driver before connecting the luminaire

Number of luminaires (N) and maximum distance (Dmax) are to be evaluated according to the chosen driver and cable section.



INSTALLATION SHEET



Luminart®

WWW.LUMINARTLIGHTING.COM

BLOOM MAXI



INSTALLATION INSTRUCTIONS

TYPE:

PROJECT NAME:



Plastic spike for ground fixing



1x

A



2x

B



2x



Main Supply

INSTALLATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM


BLOOM MAXI

INSTALLATION INSTRUCTIONS


TYPE:

PROJECT NAME:

1




2




Wet the installation area first


3




4



5



6



ART.
MOR682P/2V

IP68 accessory



Self Vulcanising Tape (Not Supplied)

