

ELLE™

WALL

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM
Last updated: 04/11/25

ELLE™ 200

WALL

TYPE:

PROJECT NAME:



Color rendering: CRI 80

Power: 50W

Ingress protection: IP40

Power supply: LTE / 0-10V

Finish options:




06



08

Input [W]	50W	
Lum. flux of light source [lm]	3000K	7980 lm
	4000K	8400 lm



SPECIFICATION SHEET

ORDERING INFO

Model (Order Code)

☐ L25ELLE 200

Structure Finishes

☐ 06: Black

☐ 08: White

LED

☐ 30: 3000K

☐ 40: 4000K

Dimming Options

☐ 120V LTE

☐ 120V-277V 0-10V



Luminart®

WWW.LUMINARTLIGHTING.COM


Last updated: 04/11/25

ELLE™ 380

WALL

TYPE:

PROJECT NAME:



Color rendering: CRI 80

Power: 90W

Ingress protection: IP40

Power supply: LTE / 0-10V

Finish options:




06



08

Input [W]	90W	
Lum. flux of light source [lm]	3000K	15960 lm
	4000K	16800 lm



SPECIFICATION SHEET

ORDERING INFO

Model (Order Code)

☐ L25ELLE 380

Structure Finishes

☐ 06: Black

☐ 08: White

LED

☐ 30: 3000K

☐ 40: 4000K

Dimming Options

☐ 120V LTE

☐ 120V-277V 0-10V



Luminart®

WWW.LUMINARTLIGHTING.COM

Last updated: 04/11/25