

MOMA™

SUSPENSION

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM
Last updated: 04/15/25

MOMA™

SUSPENSION


TYPE:

PROJECT NAME:



☐	<i>Out</i>	<i>In</i>			<i>Bulb</i>
KC			Black/Copper		Transparent
WC			White/Copper		Transparent
BC			Blue/Copper		Transparent
GC			Green/Copper		Transparent
PC			Rose/Copper		Transparent
RC			Red/Copper		Transparent

Power		E26
Luminaire Light Flux	2700K	470 lm



Color rendering: CRI >80

Ingress protection: IP20

Electrical: High efficiency electronic power supply, rated 50,000 hours 120V

Mounting: Supplied with 94.48" (2400mm) power cable and canopy. To be installed on a standard octagonal junction box.
Custom cable length on request (Please specify).

ORDERING INFO

Model (Order Code)	Finish Options	Driver Options
☐ L173M40C.12L Ø40	☐ KC: Black / Copper	☐ 120V LTE
☐ L173M60C.12L Ø60	☐ WC: White / Copper	
	☐ BC: Blue / Copper	
	☐ GC: Green / Copper	
	☐ PC: Rose / Copper	
	☐ RC: Red / Copper	

Fixture comes with a 4" backplate that mounts to a standard junction box.



SPECIFICATION SHEET

Luminart®


WWW.LUMINARTLIGHTING.COM
Last updated: 04/15/25

MOMA™

SUSPENSION - SWAG CABLE

TYPE:

PROJECT NAME:



	Out	In		Bulb
KC	●	●	Black/Copper	● Transparent
WC	●	●	White/Copper	● Transparent
BC	●	●	Blue/Copper	● Transparent
GC	●	●	Green/Copper	● Transparent
PC	●	●	Rose/Copper	● Transparent
RC	●	●	Red/Copper	● Transparent

Power		E26
Luminaire Light Flux	2700K	470 lm

Color rendering: CRI >80

Ingress protection: IP20

Electrical: High efficiency electronic power supply, rated 50,000 hours 120V

Mounting: Supplied with 94.48" (2400mm) power cable and canopy. To be installed on a standard octagonal junction box.
Custom cable length on request (Please specify).

ORDERING INFO

- Model (Order Code)
- ☐ L173M40D.12L Ø40 with swag cable
 - ☐ L173M60D.12L Ø60 with swag cable

- Finish Options
- ☐ KC: Black / Copper
 - ☐ WC: White / Copper
 - ☐ BC: Blue / Copper
 - ☐ GC: Green / Copper
 - ☐ PC: Rose / Copper
 - ☐ RC: Red / Copper

- Driver Options
- ☐ 120V LTE

Fixture comes with a 4" backplate that mounts to a standard junction box.



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM
Last updated: 04/15/25