


# POP CHANDELIER™

SUSPENSION - ROUND

TYPE:

PROJECT NAME:



## Finish Codes

- 02 ● Black
- 06 ○ White
- B ● Blue
- C ● Copper
- G ● Green
- P ● Rose
- R ● Red

Power	8W	
Luminaire Light Flux	2700K	24X1650 lm

**Color rendering:** CRI >85

**Ingress protection:** IP20

**Electrical:** High efficiency electronic power supply, rated 50,000 hours 120V-277V

### Mounting:

To be installed on a standard octagonal junction box.  
Custom cable length on request (Please specify).

SPECIFICATION SHEET

## ORDERING INFO

Model (Order Code)	Finish Options	Optic	LED	Dimming Options
<input type="radio"/> L17P40R.2	<input type="radio"/> 02: Black <input type="radio"/> 06: White <input type="radio"/> B: Blue <input type="radio"/> C: Copper <input type="radio"/> G: Green <input type="radio"/> P: Rose <input type="radio"/> R: Red	<input type="radio"/> 35°	<input type="radio"/> 27: 2700K <input type="radio"/> 30: 3000K	<input type="radio"/> 120V LTE <input type="radio"/> 120-277V 0-10V




# POP CHANDELIER™

SUSPENSION - SMALL OVAL

TYPE:

PROJECT NAME:



## Finish Codes

- 02 ● Black
- 06 ○ White
- B ● Blue
- C ● Copper
- G ● Green
- P ● Rose
- R ● Red

Power	8W	
Luminaire Light Flux	2700K	24X1650 lm

**Color rendering:** CRI >85

**Ingress protection:** IP20

**Electrical:** High efficiency electronic power supply, rated 50,000 hours 120V-277V

**Mounting:**  
To be installed on a standard octagonal junction box.  
Custom cable length on request (Please specify).

## ORDERING INFO

Model (Order Code)	Finish Options	Optic	LED	Dimming Options
<input type="radio"/> L17P40B.2	<input type="radio"/> 02: Black <input type="radio"/> 06: White <input type="radio"/> B: Blue <input type="radio"/> C: Copper <input type="radio"/> G: Green <input type="radio"/> P: Rose <input type="radio"/> R: Red	<input type="radio"/> 35°	<input type="radio"/> 27: 2700K <input type="radio"/> 30: 3000K	<input type="radio"/> 120V LTE <input type="radio"/> 120-277V 0-10V




SPECIFICATION SHEET

# POP CHANDELIER™

SUSPENSION - LARGE OVAL

TYPE:

PROJECT NAME:



## Finish Codes

- 02 ● Black
- 06 ○ White
- B ● Blue
- C ● Copper
- G ● Green
- P ● Rose
- R ● Red

Power	8W	
Luminaire Light Flux	2700K	24X1650 lm

**Color rendering:** CRI >85

**Ingress protection:** IP20

**Electrical:** High efficiency electronic power supply, rated 50,000 hours 120V-277V

### Mounting:

To be installed on a standard octagonal junction box.  
Custom cable length on request (Please specify).

## ORDERING INFO

Model (Order Code)	Finish Options	Optic	LED	Dimming Options
<input type="radio"/> L17P40R.2	<input type="radio"/> 02: Black <input type="radio"/> 06: White <input type="radio"/> B: Blue <input type="radio"/> C: Copper <input type="radio"/> G: Green <input type="radio"/> P: Rose <input type="radio"/> R: Red	<input type="radio"/> 35°	<input type="radio"/> 27: 2700K <input type="radio"/> 30: 3000K	<input type="radio"/> 120V LTE <input type="radio"/> 120-277V 0-10V

SPECIFICATION SHEET

