

POP HOST™

WALL SUSPENSION

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM
Last updated: 05/05/25


POP HOST™

WALL SUSPENSION

TYPE:

PROJECT NAME:

Pop Host T Bi-color Plugin



IP20 ⓘ **A+B=360cm (141.7")**

120V e26 7W CRI>80


L173H32T.12L ⓘ dimm. IGBT - Triac

Led color 2700K Nominal lm 806 Beam spread 180°

ⓘ Up Down Diffuser color

KS	●	●	Black/Brass
WS	○	●	White/Brass
BS	●	●	Blue/Brass
GS	●	●	Green/Brass
PS	●	●	Rose/Brass
RS	●	●	Red/Brass

Pop Host N Bi-color Hardwired



IP20 ⓘ **A= max. 140cm (55.11")**

120V e26 7W CRI>80

L173H32N.12L ⓘ dimm. IGBT - Triac

Led color 2700K Nominal lm 806 Beam spread 180°

Hardwired version comes with a 4" backplate that mounts to a standard junction box.

SPECIFICATION SHEET

ORDERING INFO

Model (Order Code)

- L173H32T.12L Plug-in Version
- L173H80N.12L Hardwire Version

Finish Options

- KS: Black / Brass
- WS: White / Brass
- BS: Blue / Brass
- GS: Green / Brass
- PS: Rose / Brass
- RS: Red / Brass

Driver Options

- 120V LTE



Luminart®

WWW.LUMINARTLIGHTING.COM


POP HOST™

WALL SUSPENSION


TYPE:

PROJECT NAME:

Pop Host L Bi-color Plugin



Pop Host M Bi-color Hardwired



IP20	Ⓛ	A+B=300cm (118")
120V	e26 7W	CRI>80
L173H32L.12L.□	dimm. IGBT - Triac	
Led color	Nominal lm	Beam spread
2700K	806	180°

IP20	Ⓛ	A= max. 130cm (51")
120V	e26 7W	CRI>80
L173H32M.12L.□	dimm. IGBT - Triac	
Led color	Nominal lm	Beam spread
2700K	806	180°

□	Up	Down	Diffuser color
KS	●	●	Black/Brass
WS	○	●	White/Brass
BS	●	●	Blue/Brass
GS	●	●	Green/Brass
PS	●	●	Rose/Brass
RS	●	●	Red/Brass

Hardwired version comes with a 4" backplate that mounts to a standard junction box.

SPECIFICATION SHEET

ORDERING INFO

Model (Order Code)	Finish Options	Driver Options
☐ L173H32L.12L Plug-in Version ☐ L173H80M.12L Hardwire Version	☐ KS: Black / Brass ☐ WS: White / Brass ☐ BS: Blue / Brass ☐ GS: Green / Brass ☐ PS: Rose / Brass ☐ RS: Red / Brass	☐ 120V LTE



Luminart®

WWW.LUMINARTLIGHTING.COM