

ROSCO™ EXTERIOR

CEILING / WALL

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

Luminart®


WWW.LUMINARTLIGHTING.COM
Last updated: 09/30/24

ROSCO™ EXTERIOR

CEILING / WALL

TYPE:

PROJECT NAME:



Technical information:

Installation:	Ceiling / Wall
Material:	Polycarbonate
Source type:	LED
Diffuser type:	Polycarbonate
CRI:	>80
LB Factor:	L80B20 - 50.000h
Power consumption [Watt]	25
Source Lumen:	3000 lm
Delivered Lumen:	1842 lm
Type of protection:	IP66

SPECIFICATION SHEET

ORDERING INFO

Model (Order Code)	Structure Finish	LED	Dimming Options
☐ L53LL1240	☐ BL: Black ☐ CO: Corten ☐ AN: Anthracite ☐ GR: Grey ☐ WH: White	☐ 2700K ☐ 3000K ☐ 4000K	☐ 120V LTE ☐ 120V 0-10V ☐ 277V 0-10V



Luminart®


WWW.LUMINARTLIGHTING.COM

ROSCO™ EXTERIOR

CEILING / WALL

TYPE:

PROJECT NAME:



SPECIFICATION SHEET