


SILVIO™

BOLLARD

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

Luminart®


WWW.LUMINARTLIGHTING.COM
Last updated: 04/22/24

SILVIO™

BOLLARD

TYPE:


PROJECT NAME:



Technical information:

Installation:	Ground
Material:	Aluminum
Treatment:	Sea Treatment
Diffuser type:	Etched Glass
CRI:	>80
LB Factor:	L80B50 - 50.000h
Power consumption [Watt]	10
Source Lumen:	1350 lm
Delivered Lumen:	855 lm
Type of protection:	IP66

H1000mm (39.37") pole and fixing base included.



SPECIFICATION SHEET

ORDERING INFO

Model (Order Code)	Structure Finish	Optic Options	LED	Dimming Options
☐ L53LT140	☐ BL: Black RAL 9005 ☐ CO: Corten ☐ DG: Dark Grey RAL 7021 ☐ WH: White RAL 9010	☐ S: 30° ☐ W: Wide ☐ A: Asymmetric ☐ D: Diffuse	☐ 2700K ☐ 3000K ☐ 4000K	☐ 120V LTE ☐ 120V 0-10V ☐ 277V 0-10V



Luminart®


WWW.LUMINARTLIGHTING.COM
Last updated: 04/22/24

SILVIO™


BOLLARD

TYPE:


PROJECT NAME:




silvio 200_bollard_s



silvio 200_bollard_w



silvio 200_bollard_a



silvio 200_bollard_d

SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM
Last updated: 04/22/24