

SQUEEZE


OUTDOOR RECESSED

TYPE:

PROJECT NAME:



SQUEEZE UP ø 59



CODE	LAMP	W	LM LED	REAL LM
L981451	LED	3	240	110

IP 67 / CRI 80
Max. load pressure 500 Kg
Wide beam lighting angle



ORDERING INFO

Model (Order Code)

Finish

LED

Remote Driver Options

☐ ☒ Aluminum Grey

☐ 3000K

☐ 4000K

☐ 120V On/Off

☐ 120V Phase Dimming



Luminart®

WWW.LUMINARTLIGHTING.COM


SQUEEZE

OUTDOOR RECESSED

TYPE:

PROJECT NAME:

SQUEEZE ϕ 77



IP 67 / CRI 80
Max. load pressure 500 Kg
Beam lighting angle: 70° each side



1 window



2 windows



4 windows

GM

CODE	LAMP	W	LM LED	REAL LM
L981453	LED	3	240	52

GM

CODE	LAMP	W	LM LED	REAL LM
L981454	LED	3	240	104

GM

CODE	LAMP	W	LM LED	REAL LM
L981455	LED	3	240	208

ORDERING INFO

Model (Order Code)

Finish

LED

Remote Driver Options

☐ ☒ Aluminum Grey

☐ 3000K

☐ 4000K

☐ 120V On/Off

☐ 120V Phase Dimming




SQUEEZE

OUTDOOR RECESSED

TYPE:

PROJECT NAME:

SQUEEZE ø 180



IP 67 / CRI 80
Max. load pressure 500 Kg
Beam lighting angle: 70° each side



1 window



2 windows



4 windows

GM

CODE	LAMP	W	LM LED	REAL LM
L981457	LED	6.4	640	130

GM

CODE	LAMP	W	LM LED	REAL LM
L981458	2x LED	12.8	2x640	260

GM

CODE	LAMP	W	LM LED	REAL LM
L981459	4x LED	12.8	4x320	215

ORDERING INFO

Model (Order Code)

Finish

LED

Remote Driver Options

☐ ☒ Aluminum Grey

☐ 3000K

☐ 4000K

☐ 120V On/Off

☐ 120V Phase Dimming



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM