

# Z SERIES MAXI™

RECESSED

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

## ORDERING INFO

| Model (Order Code)                                  | Accessories                                                            | LED                         | Remote Driver                        |
|-----------------------------------------------------|------------------------------------------------------------------------|-----------------------------|--------------------------------------|
| <input type="radio"/> L676397: Z Series Maxi COB RD | <input type="radio"/> L670230: KIT: draining Junction + IP connector   | <input type="radio"/> 2700K | <input type="radio"/> 120V LTE       |
| <input type="radio"/> L676741: Z Series Maxi COB SQ | <input type="radio"/> L670260/C: Spring for recessed ceiling (for COB) | <input type="radio"/> 3000K | <input type="radio"/> 120-277V 0-10V |
| <input type="radio"/> L676368: Z Series Maxi Round  | <input type="radio"/> L670260: Spring for recessed ceiling             | <input type="radio"/> 4000K |                                      |
| <input type="radio"/> L676383: Z Series Maxi Square | <input type="radio"/> L670232: Wall plastic box                        |                             |                                      |



**Luminart®**


WWW.LUMINARTLIGHTING.COM  
Last updated: 05/16/25

# Z SERIES MAXI™

RECESSED

TYPE:

PROJECT NAME:




## L676397 Z Series Maxi COB RD

.33 Matte steel

AISI 316L Stainless Steel

| Color temperature | Optics     | COB LED Light source |       | lm source |              |
|-------------------|------------|----------------------|-------|-----------|--------------|
| /W                | 15/ 28 /60 | 8,7W                 | 17,5V | 500mA     | 1466lm 4000K |
| /WW               | 15/ 28 /60 | 8,7W                 | 17,5V | 500mA     | 1424lm 3000K |
| /XW               | 15/ 28 /60 | 8,7W                 | 17,5V | 500mA     | 1340lm 2700K |



## L676741 Z Series Maxi COB SQ

.33 Matte steel

AISI 316L Stainless Steel

| Color temperature | Optics     | COB LED Light source |       | lm source |              |
|-------------------|------------|----------------------|-------|-----------|--------------|
| /W                | 15/ 28 /60 | 8,7W                 | 17,5V | 500mA     | 1466lm 4000K |
| /WW               | 15/ 28 /60 | 8,7W                 | 17,5V | 500mA     | 1424lm 3000K |
| /XW               | 15/ 28 /60 | 8,7W                 | 17,5V | 500mA     | 1340lm 2700K |

### Accessories



#### L670230

KIT: draining junction + IP connector



#### L670260/C


Spring for recessed ceiling

# Z SERIES MAXI™

RECESSED

TYPE:

PROJECT NAME:




## L676368 Z Series Maxi Round

.33 Matte steel

Inox AISI 316L

| Color temperature | Light sources      | lm    |
|-------------------|--------------------|-------|
| <b>/W</b> 4000K   | LED max 3x1W 350mA | 453lm |
| <b>/WW</b> 3000K  | LED max 3x1W 350mA | 429lm |

0,40 Kg



## L676383 Z Series Maxi Square

.33 Matte steel

Inox AISI 316L

| Color temperature | Light sources      | lm    |
|-------------------|--------------------|-------|
| <b>/W</b> 4000K   | LED max 3x1W 350mA | 453lm |
| <b>/WW</b> 3000K  | LED max 3x1W 350mA | 429lm |

0,35 Kg

### Accessories



#### L670230

KIT: draining junction + IP connector



#### L670232

Wall plastic box



#### L670260

Spring for recessed ceiling