

BLEND

SUSPENSION

TYPE:

PROJECT NAME:

SPECIFICATION SHEET



Luminart®

WWW.LUMINARTLIGHTING.COM

BLEND SPOT

SUSPENSION

TYPE:

PROJECT NAME:



Material:

PET Felt (polyethylene terephthalate)
Fireclass: EN13501-1 Class B

Fixture:

2m black textile cable
Black ceiling cap

Lighting properties:



GU10 MR11
Lightbulb 3000K included



IP20

Acoustic properties:



High absorption
value of α_w 0.85



Diffusion by design


specifications:

GU10 MR 11 (35mm) Included



LED power:	3.5W
Connection voltage:	120V AC
Luminous Flux:	250lm
Life time:	50.000h
CCT Color temperature:	3000K
Control Dimmable:	Trailing Edge

Dimensions:



Mounting:



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

BLEND XL SPOT

SUSPENSION

TYPE:

PROJECT NAME:



Material:

PET Felt (polyethylene terephthalate)
Fireclass: EN13501-1 Class B

Fixture:

2m black textile cable
Black ceiling cap

Lighting properties:



GU10
Lightbulb 3000K Included



IP20

Acoustic properties:



High absorption
value of α_w 0.85



Diffusion by design


specifications:

GU10 (50mm) Included



LED power:	5W
Connection voltage:	120V AC
Luminous Flux:	450lm
Life time:	50.000h
CCT Color temperature:	3000K
Control Dimmable:	Trailing Edge

Dimensions:



Mounting:



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

BLEND UNLIT

SUSPENSION

TYPE:

PROJECT NAME:



Material:

PET Felt (polyethylene terephthalate)
Fireclass: EN13501-1 Class B

Fixture:

1.5m black textile cable
Black ceiling cap

Acoustic properties:




High absorption
value of α_w 0.85




Diffusion by design

Mounting:



Dimensions:



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

BLEND XL UNLIT

SUSPENSION

TYPE:

PROJECT NAME:



Material:

PET Felt (polyethylene terephthalate)
Fireclass: EN13501-1 Class B

Fixture:

1.5m black textile cable
Black ceiling cap

Acoustic properties:



High absorption
value of α_w 0.85




Diffusion by design

Mounting:



Dimensions:



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

BLEND

SUSPENSION

TYPE:

PROJECT NAME:

Top Colors:




Bottom Colors:



* We recommend to pick a different Felt color for top and bottom


Acoustic specifications:



Acoustic PET Felt
Fixture

The product is designed with multiple layers of sound absorbing PET Felt.

Suspended 9 mm PET Felt tested to ISO 354:2003.



ORDERING INFO

Model (Order Code)

Top Finish

Bottom Finish

Driver Options

- ☐ Blend Spot
- ☐ Blend XL Spot
- ☐ Blend Unlit*
- ☐ Blend XL Unlit*

- ☐ 120V Phase Dimming



*Power and dimming does not apply to unlit versions

Luminart®

WWW.LUMINARTLIGHTING.COM