

COLLIDE DOUBLE

CEILING

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

COLLIDE DOUBLE

CEILING

TYPE:

PROJECT NAME:



SPECIFICATION SHEET


COLLIDE DOUBLE

CEILING/WALL

TYPE:

PROJECT NAME:

Collide H3 Double



GENERAL

Ceiling
Surface
Phase
IP20
up 4.500
+ down 1.300 lumen
luminaire flux
Indoor use

LED

ACRICHE HV LED + COB LED
2.700K, 3.000K
CRI 90
120V
Macadam step 3
LED Life L70 B50 > 50.000 h
Energy Class: F


ELECTRICAL

120 V 50 Hz
60W
Class 1
Driver included

OPTICAL | PHOTOMETRIC

Lighting type: Indirect up + direct down
Light distribution: Symmetric

Collide H4 Double



GENERAL

Ceiling
Surface
Phase
IP20
up 6.000
+ down 1.300 lumen
luminaire flux
Indoor use

LED

ACRICHE HV LED + COB LED
2.700K, 3.000K
CRI 90
120V
Macadam step 3
LED Life L70 B50 > 50.000 h
Energy Class: F

ELECTRICAL

120 V 50 Hz
80W
Class 1
Driver included

OPTICAL | PHOTOMETRIC

Lighting type: Indirect up + direct down
Light distribution: Symmetric

COLOURS

Catalogue

13 White

Satin Collection

20 Graphite 33 Royal gold 43 Silver 48 Dark bronze 62 Matt black 64 Bronze 65 Champagne

Warm Collection

W2 Sand W4 Rope color W6 Dove-gray W8 Coffee

Ring Colours

26 Bronze matt 27 Copper matt 32 Powder gun matt 34 Gold matt 35 Nikel matt 62 Matt black

Metallic Collection

14 Antique brass 19 Pelter delabré 22 Copper delabré 23 Gold delabré

ORDERING INFO

Model (Order Code)

Finish
See above

LED

☐ 2700K
☐ 3000K

Power Options

☐ 120V Phase Dimming



Luminart®

WWW.LUMINARTLIGHTING.COM