

COLLIDE DOUBLE™

CEILING

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

COLLIDE DOUBLE™

CEILING

TYPE:

PROJECT NAME:

REFLECTOR FINISH OPTIONS





DISK FINISH OPTIONS



Catalogue





Satin Collection











Ethic Collection



Metallic Collection



Ring Colours



SPECIFICATION SHEET


COLLIDE DOUBLE™

CEILING

TYPE:

PROJECT NAME:

Collide H3 Double



GENERAL

Ceiling
Surface
Phase
IP20
up 4.500
+ down 1.300 lumen
luminaire flux
Indoor use

LED

ACRICHE HV LED + COB LED
2.700K, 3.000K
CRI 90
120V
Macadam step 3
LED Life L70 B50 > 50.000 h
Energy Class: F


ELECTRICAL

120 V 50 Hz
60W
Class 1
Driver included

OPTICAL | PHOTOMETRIC

Lighting type: Indirect up + direct down
Light distribution: Symmetric

Collide H4 Double



GENERAL

Ceiling
Surface
Phase
IP20
up 6.000
+ down 1.300 lumen
luminaire flux
Indoor use

LED

ACRICHE HV LED + COB LED
2.700K, 3.000K
CRI 90
120V
Macadam step 3
LED Life L70 B50 > 50.000 h
Energy Class: F

ELECTRICAL

120 V 50 Hz
80W
Class 1
Driver included

OPTICAL | PHOTOMETRIC

Lighting type: Indirect up + direct down
Light distribution: Symmetric

SPECIFICATION SHEET

ORDERING INFO

Model (Order Code)	Finish	LED	Power Options
	See previous page	<input type="radio"/> 2700K <input type="radio"/> 3000K	<input type="radio"/> 120V Phase Dimming

