

BOUNCE LINES MULTI™

TYPE:

SUSPENSION

PROJECT NAME:



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM
Last updated: 10/10/24

BOUNCE LINES MULTI™ TYPE:

SUSPENSION

PROJECT NAME:

DIMENSIONS



Bounce Lines is available in two structural sizes with an additional choice of three sizes of LED spheres.

Bounce Lines 120: Length of 120cm (47.24") **Sphere S:** Diameter of 100mm (3.93")

Bounce Lines 180: Length of 180cm (70.86") **Sphere M:** Diameter of 150mm (5.9")

Sphere LG: Diameter of 200mm (7.87")

The height (thickness) of the Lines structure is 12mm (0.47")



Mounting:

Supplied with 60" (1500mm) long suspension aircraft cables (standard) and canopy. To be installed on a standard 4" octagonal junction box. Custom cable length on request (Please specify).

SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM
Last updated: 10/10/24


BOUNCE LINES MULTI™

SUSPENSION

TYPE:

PROJECT NAME:

BOUNCE LINES 120 -S-S-M-LG-




LAMP TYPE	LED
COLOUR TEMP.	2700K
WATTAGE	2W/2W/4W/10W
TOTAL LUMENS	1700

ORDER CODE

BLACK	L30T111H37DZL
BRONZE	L30T111H37DOE
BRUSHED BRASS	L30T111H37DLB
WHITE	L30T111H37DWL




BOUNCE LINES 180 -S-S-M-M-LG-



LAMP TYPE	LED
COLOUR TEMP.	2700K
WATTAGE	2W/2W/4W/4W/10W
TOTAL LUMENS	2056

ORDER CODE

BLACK	L30T111H39DZL
BRONZE	L30T111H39DOE
BRUSHED BRASS	L30T111H39DLB
WHITE	L30T111H39DWL



SPECIFICATION SHEET

ORDERING INFO

Model (Order Code)

27

LED

○ 27: 2700K

Dimming Options

○ 120V LTE

○ 120V-277V 0-10V

(Universal Voltage)



Luminart®

WWW.LUMINARTLIGHTING.COM
Last updated: 10/10/24