


DEW

SUSPENSION

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

DEW

SUSPENSION LED VERSION

TYPE:

PROJECT NAME:



Material:

PET Felt (polyethylene terephthalate)
Fireclass: EN13501-1 Class B

Fixture:

1.5m black textile cable
Black ceiling cap

Lighting properties:



Integral LED
11 W LED
760 lm



IP20

Acoustic properties:




0.88 m² of acoustic absorption
material of α_w 0,45



Diffusion by design

Dimensions:



Mounting:



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

DEW

SUSPENSION LED VERSION

TYPE:

PROJECT NAME:

Top Colors:



Bottom Colors:




Acoustic specifications:

The acoustic design principle.

Dew is a relatively small yet solid acoustic lamp made from sound-absorbing lamellae. It helps reduce reverberation time by effectively absorbing sound waves.

Calculated acoustic surface area: 0.88 m2

Suspended 9 mm PET Felt tested to ISO 354:2003.



ORDERING INFO

Model (Order Code)	Top Finish	Bottom Finish	LED	Power Options
☐ Dew LED Version			☐ 2700K ☐ 3000K ☐ 4000K	☐ 120V Phase Dimming ☐ 120V 0-10V Dimming ☐ 277V 0-10V Dimming



Luminart®

WWW.LUMINARTLIGHTING.COM

SPECIFICATION SHEET

DEW

SUSPENSION E26 VERSION

TYPE:

PROJECT NAME:



Material:

PET Felt (polyethylene terephthalate)
Fireclass: EN13501-1 Class B

Fixture:

1.5m black textile cable
Black ceiling cap

Lighting properties:



E26 Bulb



IP20

Acoustic properties:




0.88 m² of acoustic absorption
material of α_w 0,45



Diffusion by design

Dimensions:



Mounting:



SPECIFICATION SHEET

Luminart®

WWW.LUMINARTLIGHTING.COM

DEW

SUSPENSION E26 VERSION

TYPE:

PROJECT NAME:

Top Colors:



Bottom Colors:




Acoustic specifications:

The acoustic design principle.

Dew is a relatively small yet solid acoustic lamp made from sound-absorbing lamellae. It helps reduce reverberation time by effectively absorbing sound waves.

Calculated acoustic surface area: 0.88 m2

Suspended 9 mm PET Felt tested to ISO 354:2003.



ORDERING INFO

Model (Order Code)

Top Finish

Bottom Finish

Driver Options

☐ Dew E26 Version

☐ 120V Phase Dimming



Luminart®

WWW.LUMINARTLIGHTING.COM

SPECIFICATION SHEET