

OMBRELLA ACOUSTICAL™

SUSPENSION

TYPE:

PROJECT NAME:

Finish

Upper Structure:



Wool
70% wool
30% polyamide

Lower Structure:



White



Black



Copper



Brass


Metal structure

Indirect light



IP20

SPECIFICATION SHEET



Canopy detail

Luminart®

WWW.LUMINARTLIGHTING.COM
Last updated: 10/09/26

OMBRELLA ACOUSTICAL™

SUSPENSION

TYPE:


PROJECT NAME:




Wool
70% wool
30% polyamide




Code 650
Sand




Code 652
Green




Code 660
Dark green




Code 661
Curry



Code 659
Chestnut




Code 662
Turquoise




Code 658
Grey



Code 655
Avio blue



Code 656
Dark grey



Code 654
Purple



Code 651
Orange



Code 657
Cardinal red



Code 653
Mustard yellow

SPECIFICATION SHEET

OMBRELLA ACOUSTICAL™


SUSPENSION

TYPE:


PROJECT NAME:

Pendant lamp D.60	Ø 60 x 30 cm 3 Kg	lamp type 1 led module 17.8 W luminous efficacy 3200 Lm light colour 3000 K	L82UMBESO060G01
Pendant lamp D.80	Ø 80 x 39 cm 6 Kg	lamp type 1 led module 25 W luminous efficacy 4425 Lm light colour 3000 K	L82UMBESO080G01
Pendant lamp D.100	Ø 100 x 47 cm 11 Kg	lamp type 1 led module 25 W luminous efficacy 4425 Lm light colour 3000 K	L82UMBESO100G01


OMBRELLA 60



OMBRELLA 80



OMBRELLA 100



SPECIFICATION SHEET

ORDERING INFO

Model (Order Code)	Upper Structure Wool Finish	Lower Structure Finish	LED	Remote Driver Options
		☐ White ☐ Black ☐ Copper ☐ Brass	☐ 2700K ☐ 3000K ☐ 4000K	☐ 120V LTE ☐ 120-277V 0-10V



Luminart®

WWW.LUMINARTLIGHTING.COM
Last updated: 10/09/26