


# VITREO MESSAGE

SUSPENSION LAMP

TYPE:

PROJECT NAME:




SPECIFICATION SHEET

# VITREO MESSAGE

## SUSPENSION LAMP

TYPE:

PROJECT NAME:




### Technical data

|                          |                               |
|--------------------------|-------------------------------|
| Light source             | LED                           |
| Circuit structure        | LED strip                     |
| Light emission direction | direct and indirect 50% - 50% |
| Power                    | 29 W                          |
| Source lumens            | 2880 lm                       |
| Source efficacy          | 100 lm/W                      |
| Energy class             | F                             |
| Delivered lumens         | 2070 lm                       |
| Secondary                | -                             |
| Colour temperature       | 3000K                         |
| Colour rendering index   | 90 CRI                        |
| Safety class             | CL3                           |
| Degree of protection     | IP20                          |
| Operating temperature    | +10/+40                       |
| CE                       | ●                             |
| UL                       | ○                             |

### Technical drawing

Size ref. image mm - inch



### Structure

|          |            |
|----------|------------|
| Material | aluminium  |
| Finish   | matt white |

### Diffuser

|          |               |
|----------|---------------|
| Material | polycarbonate |
| Finish   | transparent   |

### Lampshade

|          |            |
|----------|------------|
| Material | glass      |
| Finish   | matt white |

### Drivers

|          |         |
|----------|---------|
| Included | Yes     |
| Quantity | 1       |
| Voltage  | 24Vdc - |

### Hanging cables

|                                                           |                   |
|-----------------------------------------------------------|-------------------|
| Stainless steel cables standard length (custom available) | 2000 mm - 78 3/4  |
| Electric cable standard length (custom available)         | 3000 mm - 118 1/8 |

### Warranty

|          |         |
|----------|---------|
| Duration | 2 years |
|----------|---------|


# VITREO MESSAGE

SUSPENSION LAMP

TYPE:


PROJECT NAME:

## LED Color Temperature




## Diffuser

transparent



## Finish Options



## ORDERING INFO

| Model (Order Code)                     | Finish Options                         | LED                         | Driver Options                        |
|----------------------------------------|----------------------------------------|-----------------------------|---------------------------------------|
| <input type="radio"/> L033190301B1CTW0 | <input type="radio"/> Brass            | <input type="radio"/> 2700K | <input type="radio"/> 120V LTE        |
|                                        | <input type="radio"/> Matt Black       | <input type="radio"/> 3000K | <input type="radio"/> 120V-277V 0-10V |
|                                        | <input type="radio"/> Matt White       | <input type="radio"/> 3500K |                                       |
|                                        | <input type="radio"/> Multicolor Rio   | <input type="radio"/> 4000K |                                       |
|                                        | <input type="radio"/> Multicolor Tokyo |                             |                                       |
|                                        | <input type="radio"/> Custom           |                             |                                       |



SPECIFICATION SHEET

**Luminart®**

WWW.LUMINARTLIGHTING.COM  
LAST UPDATE:YYYY/MM/DD